



# VASCULAR PLANTS

of the

### **OLYMPIC PENINSULA, WASHINGTON**

Nelsa M. Buckingham and Edward L. Tisch

Cooperative Park Studies Unit National Park Service CPSU/UW B-79-2 College of Forest Resources University of Washington Seattle, Washington 98195





## VASCULAR PLANTS OF THE OLYMPIC PENINSULA, WASHINGTON (A Catalog)

by

Nelsa M. Buckingham and Edward L. Tisch

May 1979

National Park Service Cooperative Park Studies Unit College of Forest Resources University of Washington Seattle, Washington 98195 Digitized by the Internet Archive in 2012 with funding from LYRASIS Members and Sloan Foundation

#### FOREWORD

More than one hundred families of vascular plants, including about one thousand, four hundred and fifty species and subspecific taxa, are listed in this catalog. Though years in preparation, the list is still growing and taxonomic changes continue. At this point, current revisions have had to cease in order that editing and publication may take place. Such a catalog is, however, an ongoing project. It is intended that revised editions will be published from time to time.

This book should prove useful to botanists, both professional and amateur, and to persons and agencies involved with ecological studies and land management in the Pacific Northwest.

To improve future editions of this catalog, its users are invited to contribute from their knowledge and experience. Information concerning Olympic Peninsula plants and their ranges, along with questions, criticisms, and suggestions, may be addressed to:

Chief Park Naturalist Olympic National Park 600 East Park Avenue Port Angeles, WA 98362

Appreciation is expressed to the authors who, though busy people, have invested countless unpaid hours in work, travel, and study to assemble the data which they now share in this report.

James K. Agee Biology Program Leader Cooperative Park Studies Unit National Park Service/ University of Washington

#### TABLE OF CONTENTS

						Page
INTRODUCTION						1
SPECIES LIST						5
NOTES						64
LIST OF THE FAMILIES (and their Genera)						70

#### INTRODUCTION

More than forty years have passed since a list of the plant species of this unique area was last compiled. Numbers of new species have been collected and many plant names have undergone change.

The Olympic Peninsula is somewhat in the nature of an island, isolated from time to time by glacial ice or salt water on three sides. It has a degree of floral independence from influences of the adjoining mainland, which makes an understanding of its regional characteristics desirable.

There is no orderly north-to-south pattern of ridges in the Olympic Mountains as in the Cascades. The floral zones are more broken and complex.

The Olympics contain some sixty peaks and ridges reaching to more than 6,000 feet (1,800 meters), of which many exceed 7,000 feet (2,100 meters). None of these is more than thirty miles, and many are less than twelve miles from salt water. Mountains of this stature, intercepting the prevailing ocean winds, produce great variations in the rainfall pattern. For example, Mt. Olympus receives twenty feet of precipitation annually, while Sequim, only thirty-four miles eastward, has less than seventeen inches. These extreme differences in elevation and rainfall, in so small an area, create a wide variety of habitats and result in complex plant distributions.

During periods of extreme climatic stress, as in glacial eras, the diversity of habitats on the Olympic Peninsula may have enabled some plants to survive in refugia, as, for example, some of our endemic species. The presence of numbers of disjunct plants poses a series of interesting questions of phyto-history. A case in point is the question of why there are on the Peninsula numerous east-of-the-Cascades species, such as Picea engelmannii and Astragalus microcystis, which are otherwise generally absent from western Washington.

A first step toward understanding the flora of the Olympic Peninsula, with all its diversity, complexity, and intriguing history, would seem to be the identifying and ranging of the plants: hence, this catalog.

#### PROCEDURE FOLLOWED

We define the Olympic Peninsula as consisting of the land lying north of the Chehalis River and the southern reach of Puget Sound, with the exception of the Kitsap Peninsula. This constitutes an area of almost 6,000 square miles.

In compiling the catalog we began with those plants cited in  $\underline{A}$  Botanical Survey of the Olympic Peninsula (G. N. Jones, University of Washington Press, 1936). This very excellent pioneering study was compared with Vascular Plants of the Pacific Northwest (Hitchcock, Cronquist, Ownbey, and Thompson, University of Washington Press, 5 vols., 1955-1969) in order to update nomenclature and to add plants

reported in this more recent work. C. V. Piper's Flora of the State of Washington (G.P.O., 1906) was consulted for additional specific range data and for assistance in several problems of synonymy.

In the case of taxa not included in the above references, we have consulted Hulten's Flora of Alaska and Neighboring Territories (Stanford University Press, 1963) and Gray's Manual of Botany, Eighth Edition (Fernald, Amer. Book Col., 1950). Also useful and frequently consulted were the Publications in Natural History, both the Handbook Series and the Occasional Paper Series, of the British Columbia Provincial Museum in Victoria.


For both Latin and English names we have relied, wherever possible, on Flora of the Pacific Northwest (Hitchcock and Cronquist, University of Washington Press, 1974).

#### INFORMATION INCLUDED

#### Range

The diagrammatic map indicates the sectors of the Peninsula used in determining range data. (The shaded area approximates the Subalpine and Alpine zones).

Compass directions, as indicated on the map, are given in lower case letters. All ranges are applied in a clockwise direction. For example, "ne-nw" means "from northeast around the Peninsula in a clockwise manner to the northwest" (thus omitting the north side). The letter "c" has been used to indicate the central sector. For those plants found throughout the area we have used "gen" to indicate a general, but not necessarily abundant distribution.



#### Vegetation Zones

All zones are indicated by upper case letters: L = Lowland, M = Montane, S = Subalpine, and A = Alpine. These designations refer to altitudinal ranges within which particular plants are found. In general, the Lowland zone ranges from sea level to about 2,000 feet (600 meters), the Montane from 2,000 to about 3,500 feet (1050 meters), the Subalpine from 3,500 feet to timberline, and the Alpine zone from timberline upward. It is worthy of note that many plants descend to lower elevations on the western side.

#### Habitat

Some plants are quite specific in their preference for a certain environment, though not always restricted to it. Where space has permitted, these preferences have been indicated as follows:

<u>Water</u> - submersed, floating, or emergent, but not on land.

Wet - all kinds of wet land, including seepages

Bog - referring to sphagnum bogs

Moist - soil which is damper than average.

Meadow - referring to meadows near or above timberline.

<u>Prairie</u> - unforested areas at low elevations not caused by mowing, plowing, or logging.

prowring, or roggring.

Forest - wooded areas with natural undergrowth.

Dry - unusually dry areas.

Shore - salt water margins only.

Seacliff - restricted to seaward exposures, ocean and straits.

Cliff - cliffs other than seacliffs.

Rocky - rock or rock rubble.

Sandy - other than shores and beaches.

Dune - sand areas on or near shores.

#### Additional Definitions

Adventive - plant which is a relative newcomer and may not have established its ultimate range.

TBE - plant which, in the opinion of the authors, is "to be expected."

Reported - plant cited in the literature for which no confirming specimen has been seen by the authors.

ENDEMIC - a plant known only from the Olympic Peninsula.

Place names - specific place names are used when a plant has been collected from only one location.

Place names in quotes - used when the collector has failed to specify a more exact location.

#### Notes

In the case of plants marked with an asterisk, special notes are appended in alphabetical sequence at the end of the plant list.

#### ACKNOWLEDGMENTS

We are grateful to certain members of the Department of Botany of the University of Washington--in particular to Drs. A. R. Kruckeberg and M. F. Denton for their encouragement and cooperation, and to Drs. C. L. Hitchcock and J. R. Hill for helping us to resolve some of our knottier problems. We also thank the following for providing access to their respective herbaria and for other assistance: Louis W. Messmer, Grays Harbor College; Pamela F. Yorks, University of Puget Sound; Irene Creso, Pacific Lutheran University; and Dr. Ronald J. Taylor, Western Washington University. We acknowledge the kind assistance of Professor James R. Slater, Elizabeth Taylor, and others, particularly the helpfulness of Dr. Ingrid Olmsted and Edward S. Schreiner.

We are indebted to many members of the staff of the Olympic National Park, notably to John R. Douglass, Chief Naturalist; Bruce B. Moorhead, Research Biologist; and James W. Coleman, Superintendent. Dr. James K. Agee, Research Biologist, Cooperative Parks Studies Unit, University of Washington has been of invaluable assistance in the preparation and publishing of this catalog. We are also grateful to Wendy Agee, who provided the watercolor painting on the cover.

Finally, for the cheerful lending of his wheels and legs and eyes, and the many hours of key-reading and draft-typing, we thank H. W. (Buck) Buckingham, a botanist by marriage.

We hope this endeavor will prove useful, and that interested people will contribute to the future refinement and revision of this list. Its preparation has enriched our own appreciation of this rich and unique area.

Port Angeles, Washington February 1979 Nelsa M. Buckingham Edward L. Tisch

Species	Common Name	Range	Habitat
ABIES (Pinaceae)	FIR		
amabilis	Silver f.	L,s-n; M-S,gen	
grandis lasiocarpa	Grand f. Alpine f.	L-M,n-s; S,ne M-A,gen	
procera	Noble f.	Forestry intro.	
p. 656. d			
ABRONIA (Nyctaginaceae)	SANDVERBENA		
latifolia	Yellow s.	L,sw-ne	shore
umbellata var. acutalata	Pink s.	l nu n	shore
var. acutalata	PINK S.	L, nw,n	snore
ACER (Aceraceae)	MAPLE		
circinatum	Vine m.	L-M,gen	
glabrum			
var. douglasii	Douglas m.	L-S,n-se	
macrophyllum	Big-leaf m.	L-M,gen	
ACHILLEA (Compositae) millefolium	YARROW Common y.		
ssp. lanulosa	•		
var. lanulosa		L-S,gen	
var. alpicola		S-A,n-e-c	
var. californica		L,sw-ne	shore
ACHLYS (Berberidaceae)	VANILLALEAF		
triphylla		L-S,gen	
ACTAEA (Ranunculaceae)	BANEBERRY		
rubra	DANEBERRI	1-8	forest
1 451 4		L-S,nw-s-c	101050
ADENOCAULON (Compositae)	PATHFINDER		
bicolor		L-M,gen	forest
ADIANTUM (Polypodiaceae)	MAIDENHAIR FERN		
pedatum	MAIDENBAIR FERN	L-S,gen	moist
p sacca		,5	
AGOSERIS (Compositae)	AGOSERIS		
apargioides	Seaside a.		
var. maritima	0	L,sw-ne	shore
aurantiaca var. aurantiaca	Orange a.	S-A,n-se-c	
elata	Tall a.	L,w	
glauca	Pale a.		
var. dasycephala		S-A,n-e-c	meadow
var. monticola		L-S,nw-se	
grandiflora	Large-flowered a.	L-M,n-se	
heterophylla	Annual a.	l n	dry
var. heterophylla		L,n	dry

Species	Common Name	Range	Habitat
AGROPYRON (Gramineae) caninum ssp. majus	WHEATGRASS		
* var. andinum * var. latiglume repens	Bearded w. Broadglumed s. Quackgrass	S-A,(Mt. Angeles) S-A,n-e adventive	
AGROSTIS (Gramineae)	BENTGRASS		
aequivalvis alba	Alaska b.	L,w-nw	wet
var. alba var. palustris var. stolonifera diegoensis exarata	Redtop Creeping b. Florin Leafy b. Spike b.	adventive adventive adventive L,se,sw; M,n	
ssp. exarata var. exarata var. monolepsis ssp. minor		L-M,gen L,n-ne,s L-S,gen	moist moist moist
humilis * idahoensis oregonensis	Alpine b. Idaho b. Oregon b.	reported L,e L-M,sw-ne-c	moist moist wet dune
pallens scabra tenuis thurberiana variabilis	Dune b. Winter b. Colonial b. Thurber b. Variant b.	L,sw L-A,gen adventive L-S,n,e-c S-A,n-e-c	moist
AIRA (Gramineae)	HAIRGRASS	a durant tura	
caryophyllea praecox	Silver h. Early h.	adventive adventive	
AJUGA (Labiatae) reptans	AJUGA Bugle	adventive	
ALCHEMILLA (Rosaceae) * occidentalis	LADIES' MANTLE Western 1.	L,n	
ALISMA (Alismataceae) plantago-aquatica	WATER PLANTAIN		
var. americanum	American w.	L,sw	water
ALLIUM (Liliceae) acuminatum amplectens	ONION Tapertip o. Slim-leaf o.	L-M,n-se TBE L-S,nw-se	dry
cernuum crenulatum	Nodding o. Scalloped o.	M-S,n-s	dry

Species	Common Name	Range	Habitat
ALLOTROPA (Ericaceae) virgata	CANDYSTICK	L-M,n-se-c	forest
ALNUS (Betulaceae)  * incana(var. occidentalis?) rubra sinuata	ALDER Mountain a. Red a. Sitka a.	L,se L-M,gen L-S,gen	wet moist moist
ALOPECURUS (Gramineae) aequalis geniculatus	FOXTAIL Shortawn f. Water f.	L,n-se L,nw-n	wet wet
AMARANTHUS (Amaranthaceae) graecizans powellii	AMARANTH . Tumbleweed a. Powell's a.	TBE TBE	
AMBROSIA (Compositae) chamissonis var. bipinnatisecta var. chamissonis	BURWEED Silver b.	L,sw-ne L,w	shore shore
AMELANCHIER (Rosaceae) alnifolia var. humptulipensis var. semiintegrifolia	SERVICEBERRY Western s.	L,se-sw L-S,n-s	
AMMOPHILA (Gramineae) arenaria	BEACHGRASS	adventive	
AMSINCKIA (Boraginaceae) * intermedia menziesii spectabilis	AMSINCKIA, FIDDLENECK Rancher's f. Menzies' f. Seaside a.	L,n-se L,n-ne L,n-ne	shore
ANAGALLIS (Primulaceae) arvensis	PIMPERNEL Scarlet p.	adventive	
ANAPHALIS (Compositae) margaritacea	PEARLY-EVERLASTING Common p.	L-A,gen	
ANEMONE (Ranunculaceae)  * deltoidea drummondii	ANEMONE Threeleaf a.	М,е	forest
var. drummondii lyallii <i>(continued)</i>	Drummond's a. Lyall's a.	A,n-e L-S,gen	rocky

Species	Common Name	Range	Habitat
ANEMONE (Ranunculaceae) (continu			
multifida	Pacific a.	C A	
var. hirsuta		S-A,n-e-c	rocky
var. multifida occidentalis	Western pasqueflower	S,n-ne-c S-A,gen	
	Oregon a.	3-A, gen	
oregana var. felix	oregon a.	L,s-sw	moist
var. Terrx		L, 3 3"	1110136
ANGELICA (Umbelliferae)	ANGELICA		
arguta	Lyall's a.	M-S,n-e	moist
genuflexa	Kneeling a.	L-M,gen	moist
hendersonii	Henderson's a.	L,sw-w	shore
lucida	Sea-watch	L,sw-se	shore
ANTENNARIA (Compositae)	EVERLASTING, PUSSY-TOES		
var. media	Alpine p.	A,n-e-c	rocky
lanata	Woolly p.	S-A,n-e-c	,
microphylla	Rosy p.	S-A,n-s-c	
neglecta	Field p.		
var. attenuata		L-M,e-se	dry
var. howellii		L,se-s	
racemosa	Raceme p.	M-S,n-se-c	
* umbrinella	Umber p.	A,n	rocky
ANTHEMIS (Compositae)	CHAMOMILE, MAYWEED		
arvensis	Yellow c.	adventive	
cotula	Stinking m.	adventive	
001414			
ANTHOXANTHUM (Gramineae)	VERNAL GRASS		
odoratum	Sweet v.	adventive	
ANTHRISCUS (Umbelliferae)	CHERVIL		
scandicina	Bur c.	adventive	
354114.51114			
ANTIRRHINUM (Scrophulariaceae)	SNAPDRAGON		
majus		adventive	
APARGIDIUM (Compositae)	APARGIDIUM	raported	wet
boreale		reported	MCL
APOCYNUM (Apocynaceae)	DOGBANE		
androsaemifolium	Spreading d.		
var. androsaemifolium		S,n	
var. pumilum		L,gen adyentive (rep	

Species	Common Name	Range	Habitat
AQUILEGIA (Ranunculaceae)	COLUMBINE		
formosa vulgaris	Red c. European c.	L-S,gen adventive	
ARABIDOPSIS (Cruciferae) thaliana	ARABIDOPSIS Thale cress	adventive	
ARABIS (Cruciferae)	ROCKCRESS	м 0	
divaricarpa drummondii furcata	Spreadingpod r. Drummond's r.	M-A,n-e L,e; S-A,n-e	
<pre>* var. olympica (ENDEMIC) glabra hirsuta</pre>	Olympic r. Towermustard Hairy r.	S,n-ne-c adventive	
var. eschscholtziana var. glabrata holboellii	Holboell's r.	L-M,nw-s L-S,n-s	
var. holboellii var. pendulocarpa * var. retrofracta	noiboeil 5 i.	M-S,n-e S-A,n-e S,c-ne	
lemmonii var. lemmonnii	Lemmon's r.	S-A,n-e	
lyallii	Lyall's r.	S-A,n-e-c	
ARBUTUS (Ericaceae)	MADRONA		
menziesii	Pacific m.	L-M,n-se	dry
ARCEUTHOBIUM (Loranthaceae) americanum campylopodum	DWARF MISTLETOE American d. Western d.	TBE (on Lodgepole	oine)
f. tsugensis	western u.	L-S,gen	hemlock
ARCTIUM (Compositae)	BURDOCK		
minus	Common b.	adventive	
ARCTOSTAPHYLOS (Ericaceae)	MANZANITA		
columbiana	Hairy m.	L-M,n-se L-M,n-se	dry dry
X media uva-ursi	Hybrid m. Kinnikinnick	L,n-sw; M-S,n-se	dry
ARENARIA (Caryophyllaceae) capillaris	SANDWORT		
var. americana	Mountain_s.	S-A,n-e-c	rocky
lateriflora	Bluntleaf s.	L,se	
macrophylla obtusiloba	Bigleaf s. Arctic s.	L-S,n-sw-c A,n-e	
paludicola	Swamp s.	L,sw	moist
1			

(continued)

Species

	'continued)		
rossii	Ross s.		
var. rossii		A,n-e	
rubella	Boreal s.	L,e; S-A,gen	
serpyllifolia	Thyme-leaf s.	TBE	
stricta	Slender s.	TDF	
var. puberulenta		TBE	
ARMERIA (Plumbaginaceae)	THRIFT		
maritima			
var. californica	(intergrade in Puget	L,sw,n-ne	shore
var. purpurea	Sound area)	L,se	prairie
ARNICA (Compositae)	ARNICA		
amplexicaulis	Streambank a.		
var. amplexicaulis		L-M,gen	moist
cordifolia	Heartleaf a.	,3	
var. cordifolia		S,n-ne	forest
* var. pumila		S-A,n-e-c	
diversifolia	Sticky a.	S-A,n-ne-c	rocky
latifolia	Mountain a.		
var. gracilis		S-A,n-s-c	rocky
var. latifolia		S,n-se-c; A,n	
mollis	Hairy a.	S,n-e-c	moist
nevadensis	Sierra a.	S-A,n-e	rocky
parryi	Nodding a.		
var. parryi		S,n-e	
rydbergii	Rydberg's a.	S-A,n-e	
ARRHENATHERUM (Gramineae)	OATGRASS		
elatius	Tall o.	adventive	
ARTEMISIA (Compositae)	WORMWOOD, SAGE, ARTEMISIA		
absinthium	Wormwood	adventive	
campestris	Northern w.		
ssp. borealis			
var. purshii		S-A,n-e	rocky
var. scoulerian	3	L,n-ne	
ssp. caudata		L,ne	shore
ludoviciana	Prairie s.		
var. latiloba		S,n-c	
norvegica	Boreal w.		
var. saxatilis		S-A,nw-ne	rocky
* stelleriana	Beach w.	adventive	shore
suksdorfii	Suksdorf's s.	L,gen	
tilesii	Mountain w.		
var. unalaschcensi		S-A,gen	
trifurcata	Three-forked a.	A,gen	rocky

Common Name

Range

Habitat

Species	Common Name	Range	Habitat
ARUNCUS (Rosaceae) sylvester	GOATSBEARD Sylvan g.	L-M,gen; S,c	moist
ASARUM (Aristolochiaceae) caudatum	WILD GINGER	L-M,n-sw-c	forest
ASPARAGUS (Liliaceae) officinalis	ASPARAGUS	adventive	
ASPERULA (Rubiaceae) odorata	ASPERULA Sweet woodruff	adventive	
ASPIDOTIS (Polypodiaceae) densa	ASPIDOTIS Podfern	L-S,n-e	rocky
ASPLENIUM (Polypodiaceae) trichomanes viride	SPLEENWORT Maidenhair s. Green s.	L,e-sw,nw S-A,n-e	rocky cliff
ASTER (Compositae) alpigenus var. alpigenus curtus eatonii foliaceus var. foliaceus modestus occidentalis var. occidentalis paucicapitatus	ASTER Alpine a. White-top a. Eaton's a. Leafy a. Few-flowered a. Western Mt. a. Olympic Mt. a. Rough-leaved a.	S-A,n-ne TBE TBE L,e,w; M-S,n,e-c M,n-se M-S,n S,gen S (Mt. Townsend)	moist moist
subspicatus ASTRAGALUS (Leguminosae)	Douglas a. LOCOWEED, MILK-VETCH	L,gen	moist
* microcystis * cottonii (ENDEMJC)	Least bladdery m. Cotton's m.	S-A,ne S-A,n	rocky rocky
ATHYRIUM (Polypodiaceae) distentifolium var. americanum filix-femina	LADY-FERN Alpine l. Lady-fern	S-A,gen L-M,gen	moist moist
ATHYSANUS (Cruciferae) pusillus	SANDWEED	L-M,n	dry
ATRIPLEX (Chenopodiaceae) hortensis (continued)	ORACHE Garden o.	ТВЕ	

Species	Common Name	Range	Habitat
ATRIPLEX (Chenopodiaceae) (con	tinued)		
patula	tinuea)		
var. hastata	Fat-hen	L,n-e,sw	
var. littoralis	Shore o.	adventive	shore
var. obtusa var. patula	Spear o.	L,sw-se L,n-ne	shore
var. patura var. zosteraefolia	spear o.	TBE	
rosea	Red o.	adventive	
AVENA (Gramineae)	OAT		
fatua	Wild o.	adventive	9
sativa	Common o.	adventive	
AZOLLA (Salviniaceae)	WATER-FERN		
filiculoides	Duckweed fern	L,se,sw	wet
	DAL CAUDOOT		
BALSAMORHIZA (Compositae) deltoidea	BALSAMROOT	TBE	
deltoldea	Puget b.	IDE	
BARBAREA (Cruciferae)	WINTERCRESS		
orthoceras	American w.	L,gen	moist
verna	Early w.	TBE	
vulgaris	Bitter w.	adventive	
BELLIS (Compositae)	DAISY		
perennis	English d.	adventive	
BERBERIS (Berberidaceae)	BARBERRY, OREGONGRAPE		
aquifolium	Shining o.	L-M,n-s	
nervosa	Dull o.	L-M,gen; S,ne	
BETULA (Betulaceae)	BIRCH		
glandulosa			
* var. hallii	Hall's b.	L (Pt. Angeles)	moist
pendula	European b.	adventive	
BIDENS (Compositae)	BEGGAR'S TICK		
cernua	Nodding b.	L,n-ne,sw	
tripartita	Three lobed b.	adventive	
BLECHNUM (Polypodiaceae)	BLECHNUM		
spicant	Deerfern	L-M,gen	moist
BOISDUVALIA (Onagraceae)	SPIKE-PRIMROSE		
densiflora	Dense s.	TBE	
BOSCHNIAKIA (Orobanchaceae)	GROUND-CONE	I =M .cen	
hookeri	Vancouver g.	L-M,gen	

Species	Common Name	Range	Habitat
			-
BOTRYCHIUM (Ophioglossaceae)	GRAPE-FERN		
lanceolatum	Lance-leaved g. Moonwort	M-S,ne-c	moist
var. onondagense		M-S,n-e-c	moist
multifidum	Leathery g.	L-S,gen	moist
virginianum	Virginia g.	L,e	moist
BOYKINIA (Saxifragaceae)	BOYKINIA		
elata	Coast b.	L,gen	moist
major	Mountain b.		
var. intermedia		L,s-nw	moist
BRASENIA (Nymphaeaceae)	WATER-SHIELD		
schreberi		L,nw,e,sw	water
BRASSICA (Cruciferae)	MUSTARD		
campestris	Common m.	adventive	
hirta	White m.	adventive	
juncea	Brown m.	adventive	
kaber	Wild m.	adventive	
nigra oleracea	Black m. Cabbage	adventive adventive	
OTET acea	cabbaye	auventive	
BRODIAEA (Liliaceae)	BRODIAEA		
congesta	Northern saitas	L,n-e	
coronaria	Harvest b.	L,n,s	
howellii	Howell's b.	TBE	
hyacinthina	Hyacinth b.	L-M,sw-n; S,c	
BROMUS (Gramineae)	BROME		
carinatus	California b.		
var. carinatus ciliatus	F	L-S,gen ''Olympic Mts.''	
inermis	Fringed b. Smooth b.	adventive	reported
commutatus	Meadow b.	adventive	
mollis	Soft b.	adventive	
pacificus	Pacific b.	L,gen	
rigidus	Ripgut	adventive	
secalinus	Ryebrome	adventive	
sitchensis	Alaska b.		
var. aleutensis		S,n	
var. sitchensis		L,ne	
sterilis	Barren b.	TBE	
tectorum	Cheatgrass	adventive	
vulgaris	Columbia b.		
* var. eximius		L,n	
var. vulgaris		L-S,gen	

Species	Common Name	Range	Habitat
CAKILE (Cruciferae)	SEAROCKET		
edentula	American s.	L,sw-ne	shore
maritima	European s.	adventive	
CALAMAGROSTIS (Gramineae) canadensis	REEDGRASS Bluejoint r.		
var. acuminata		M-S,n-e	wet
var. robusta		L,ne; M,n	wet
var. scabra		M-S,n-e	wet
crassiglumis inexpansa	Thickglume r. Narrow-spiked r.	L,nw	wet
var. barbulata	Natiow spiked i.	L,se-sw	
nutkaensis	Pacific r.	L,sw-nw	
purpurascens	Purple r.	S-A,n-e,s	rocky
sesquiflora	1 1/2-flowered r.	M-S,e-c	rocky
CALANDRINIA (Portulacaceae)	CALANDRINIA		
ciliata	Red maids	TBE	
CALENDULA (Compositae)	CALENDULA		
officinalis	Pot marigold	adventive	
CALLITRICHE (Callitrichaceae)	WATER STARWORT		
hermaphroditica	Autumnal w.	L,e,sw-w	wet
heterophylla	Different-leaved w.		
var. bolanderi		L,gen	wet
stagnalis	Pond w.	adventive	
verna	Spring w.	L,gen	wet
CALTHA (Ranunculaceae)	MARSHMARIGOLD		
asarifolia	Yellow m.	L,s-w	wet
biflora var. biflora	White m.	L,sw; S,gen	wet
	Elbalia	L,SW, J,gen	WEL
leptosepala var. leptosepala	Elkslip	S-A,gen	wet
CALYPSO (Orchidaceae)	FAIRY SLIPPER		
bulbosa	FAIRT SLIPPER	L-M,nw-s	forest
		<b>, •</b>	
CAMASSIA (Liliaceae)	CAMAS		
leichtlinii	Leichtlin's c.		
var. suksdorfii		TBE	
quamash	Common c.		
var. azurea		L,se-n TBE	
var. maxima		IDE	

Species	Common Name	Range	Habitat
CAMPANULA (Campanulaceae)  * piperi (ENDEMIC)  rotundifolia  scouleri	HAREBELL Piper's h. Bluebells-of-Scotland Scouler's h.	S-A,n-e-c M-A,gen; L,nw L-S,n-s-c	rocky
CAPSELLA (Cruciferae) bursa-pastoris	SHEPHERD'S PURSE	adventive	
CARDAMINE (Cruciferae) angulata bellidifolia * var. bellidifolia	BITTERCRESS, TOOTHWORT Seaside b. Alpine b.	L,s-nw S (Mt. Ellinor)	wet
breweri var. orbicularis * integrifolia	Brewer's b. Milkmaids	L-M, sw-e	wet
var. sinuata occidentalis oligosperma	Western b. Little western b.	L,n L,gen	moist wet
var. kamtschatica var. oligosperma pensylvanica pulcherrima var. pulcherrima	Pennsylvanian b. Slender t.	M-S,n-c L-M,gen L-S,gen L,n	moist moist moist forest
var. tenella CARDARIA (Cruciferae)	HOARYCRESS	L,sw-n	forest
chalapensis draba	Chalapa h. Hoary pepperwort	L,ne L,n	
CARDIONEMA (Caryophyllaceae) ramosissima	SANDMAT	L,sw	shore
CAREX (Cyperaceae)	SEDGE		
albonigra amplifolia aperta * aquatilis arcta athrostachya aurea brevicaulis breweri var. paddoensis	Black-and-white s. Bigleaf s. Columbia s. Water s. Northern clustered s. Slenderbeaked s. Golden s. Short stemmed s. Brewer's s.	S-A,n-e-C L-M,n-nc L,e-se,nw; M,n L,ne-se; M,ne L,w,ne-e L-S,n-se L-S,n-se	dry wet wet wet moist moist dry
buxbaumii californica canescens circinata (continued)	Buxbaum's s. California s. Gray s. Coiled s.	L,sw L-S,n L-M,n-se S (Mt. Col. Bob)	wet moist wet

(continued)

Species

spec		Common name		парітат
CVDE	EX (Cyperaceae) (continued)			
CARE	X (Cyperaceae) (continued) cusickii	Cusick's s.	L,n-se	wet
	densa	Dense s.	L,n-ne	moist
	deweyana	Dewey's s.	L-S,gen	moist
*	disperma	Soft-leaved s.	M-S,n-ne	moist
	feta	Greensheathed s.	TBE	
	hendersonii	Henderson's s.	L,n,se	wet
	hoodii	Hood's s.	S,n-e	
	illota	Sheep s.	M-A,n-e	wet
*	interior	Inland s.	M,n; L,e	wet
	laeviculmis	Smooth-stem s.	L-M, sw-ne	wet
	lanuginosa	Woolly s.	L,sw	wet
	lenticularis	Lenticular s.		
	var. lenticularis		L-M,sw-e; S,ne	wet
	var. limnophila		L,sw-n	wet
	leporina	Hare s.	L-M,n-ne-c	moist
	leptalea	Bristle-stalked s.	L,nw,e	wet
	limnophila	Pond s.	S,n-c	moist
	limosa	Mud s.	TBE	
	livida	Pale s.	L,sw-nw	wet
	luzulina	Woodrush s.	M-S,n-ne	wet
	lyngbyei	Lyngby's s.		
	var. robusta		L,sw-ne	shore
	macrocephala	Large-headed s.	L,sw-ne	shore
	mertensii	Merten's s.	L-S,gen	wet
	muricata	Muricate s.	L-M,gen	wet
	nardina	Spikenard s.	A,n-e	rocky
	neurophora	Alpine nerved s.	M-S,ne-se	moist
	nigricans	Black alpine s.	S-A,w-e	moist
	obnupta	Slough s.	L,gen	wet
	oederi	Green s.		
	var. viridula		L-M, sw-e	wet
	pachystachya	Thick-headed s.	L-S,gen	
	pansa	Sand dune s.	L,sw,nw	dune
	pensylvanica	Long-stolon s.		
	var. vespertina		L,sw,ne-se	dry
	phaeocephala	Dunhead s.	S-A,n-e	rocky
	phyllomanica	Coastal stellate s.	L,gen	wet
	pluriflora	Several-flowered s.	L-S,nw-n-c	wet
	praticola	Meadow s.	L,ne,se	moist
	pyrenaica	Pyrenaean s.	A,n; S,s	rocky
	raynoldsii	Raynold's s.	S-A,n-e	
	rossii	Ross's s.	M,ne	unt
	rostrata	Beaked s.	L,sw-e; M,n	wet
	saxatilis .	Russet s.	и с -	wat
	var. major		M-S,n	wet
	scirpoidea	Single-spike s.	C - A -	
	var. stenochlaena		S-A,n	

Common Name

Range

Habitat

Species	Common Name	Range	Habitat
CAREX (Cyperaceae) (continued)	United a Devoluti Ma	м А	
scopulorum sitchensis	Holm's Rocky Mt. s. Sitka s.	M-A,n-e L-M,gen	wet wet
spectabilis	Showy s.	S-A,gen	moist
stipata	Sawbeak s.	L,gen	wet
stylosa	Long-styled s.	S,n	wet
subfusca	Rusty s.	L,sw	
<pre>* subnigricans unilateralis</pre>	Dark alpine s. One-sided s.	S-A,n-ne	moist moist
vesicaria	Inflated s.	L,ne	IIIOTSL
var. major		L,gen	wet
var. vesicaria		L,n; M,e	wet
0.000 (0.1.13.55	00001/01/		
CARUM (Umbelliferae) carvi	CARAWAY	adventive	
Carvi		auventive	
CASSIOPE (Ericaceae)	MOSS HEATHER		
mertensiana	Merten's Mt. Heather		
var. mertensiana		S-A,gen	
CASTANOPSIS (See CHRYSOLEPIS)			
CASTILLEJA (Scrophulariaceae)	PAINTBRUSH		
hispida	Harsh p.		
var. hispida		L-S,n-sw-c	
levisecta	Golden indian p.	L,ne (reported)	
miniata	Scarlet p.		
var. dixonii		L,sw-e	shore
var. miniata parviflora	Magenta p.	L-S,gen	
var. olympica (ENDEMIC		S,gen	meadow
var. oreopola	,	S,n-ne-c-s	meadow
CAUCALIS (Umbelliferae)	CAUCALIS	1	
microcarpa	Calif. hedge-parsley	L,n	
CEANOTHUS (Rhamnaceae)	CEANOTHUS, BUCKTHORN		
sanguineus	Redstem c.	L,n-sw; M-S,ne	
velutinus	Sticky laurel		
var. laevigatus		L,ne-se	dry
CENTAUREA (Compositae)	KNAPWEED		
cyanus	Bachelor's button	adventive	
jacea	Brown k.	adventive	
melitensis	Napa thistle	adventive	
pratensis	Meadow k.	TBE	

Species	Common Name	Range	Habitat
CENTAURIUM (Gentianaceae)	CENTAURY	adventive	
umberratum	Common c.	adventive	
CERASTIUM (Caryophyllaceae)	CHICKWEED		
arvense nutans	Field c. Nodding c.	L-A,n-sw L.e	
semidecandrum	Little mouse ear	adventive	
tomentosum	Snow-in-summer	adventive	
viscosum	Sticky c.	adventive	
vulgatum	Common c.	adventive	•
CERATOPHYLLUM (Ceratophyllaceae	) HORNWORT		
demersum		L,gen	water
CHAMAECYPARIS (Cupressaceae)	CEDAR		
nootkatensis	Yellow c.	M-A,gen	
CHEILANTHES (Polypodiaceae)	LIP-FERN		
gracillima	Lace 1.	M-S,n-e-c	rocky
lanosa	Lanate 1.	reported	rocky
CHENOPODIUM (Chenopodiaceae)	GOOSEFOOT		
album	Lamb's quarter	adventive	
leptophyllum	Slim leaf g.		
var. leptophyllum rubrum	Red q.	adventive adventive	
i doi dili	Red g.	auventive	
CHIMAPHILA (Ericaceae)	PIPSISSEWA		
menziesii	Little p.	L-S,gen	forest
umbellata var. occidentalis	Common p.	L-S,gen	forest
CHRYSANTHEMUM (Compositae)	CHRYSANTHEMUM	adventive	
leucanthemum parthenium	0x-eye daisy Feverfew	adventive	
·	Teverrew	daventive	
CHRYSOLEPIS (Fagaceae)	CHINQUAPIN		Laur
chrysophylla	Golden c.	L,e	dry
CHRYSOPSIS (Compositae)	GOLDASTER		
oregona	Oregon g.	S,c	
CHRYSOSPLENIUM (Saxifragaceae)	GOLDEN CARPET		
glechomaefolium		L-M, sw-nw	moist
CICHORIUM (Compositae)	CHICORY		
intybus		adventive	

Species	Common Name	Range	Habitat
CICUTA (Umbelliferae) douglasii	WATER-HEMLOCK Douglas' w.	L,n-s	wet
CIMICIFUGA (Ranunculaceae) elata	BUGBANE Tall b.	L-M,n	forest
CINNA (Gramineae) latifolia	WOODREED	L-S,n-s-c	moist
CIRCAEA (Onagraceae) alpina	ENCHANTER'S NIGHTSHADE	L-M,gen; S,n-c	forest
CIRSIUM (Compositae) arvense var. horridum edule remotifolium vulgare	THISTLE Canada t. Indian t. Weak t. Bull t.	adventive L-S,gen L,se adventive	
CLADOTHAMNUS (Ericaceae) pyroliflorus	, CLADOTHAMNUS Copper-bush	M-S,n,s	moist
CLARKIA (Onagraceae) amoena var. caurina var. lindleyi var. pacifica quadrivulnera	CLARKIA, GODETIA Farewell-to-spring Small-flowered g.	L,n,e TBE L,n L,n	
CLAYTONIA (Portulacaceae) lanceolata var. lanceolata	SPRING BEAUTY Western s.	S,n-c	meadow
CLEMATIS (Ranunculaceae) vitalba	CLEMATIS Traveler's joy	adventive	
CLINTONIA (Liliaceae) uniflora	BEADLILY Queen's cup	L-S,gen	forest
COCHLEARIA (Cruciferae) officinalis	SCURVYGRASS	L,sw	
COLLINSIA (Scrophulariaceae) grandiflora parviflora	BLUE-EYED MARY Large-flowered b. Small-flowered b.	L-M,n-se L-S,n-sw	

Species	Common Name	Range	Habitat
COLLOMIA (Polemoniaceae)	COLLOMIA		
debilis var. larsenii	Alpine c.	0	ma al
var. TarsenTT grandiflora	Large-flowered c.	A,n-e-c L,n-e	rocky dry
heterophylla	Varied-leaf c.	L-M, gen	u.,
linearis	Narrow-leaf c.	M-S,n-e	
CONIOSELINUM (Umbelliferae)	HEMLOCK-PARSLEY		
pacificum	Pacific h.	L,sw-se	shore
CONIUM (Umbelliferae)	POISON-HEMLOCK		
maculatum		adventive	
CONVOLVULUS (Convolvulaceae)	MORNING-GLORY		
arvensis	Field m.	adventive	
sepium	Bell-bind	adventive	
soldanella	Beach m.	L,sw-nw	shore
CONYZA (Compositae)	CONYZA		
canadensis	Horseweed		
var. glabrata		L,se	
COPTIS (Ranunculaceae)	GOLDTHREAD		
asplenifolia	Spleenwort-leaved g.	L,w-nw	moist
laciniata	Cutleaf g.	L-M,s-sw	forest
CORALLORHIZA (Orchidaceae)	CORAL-ROOT		
maculata	Spotted c.	L-M,nw-s	forest
mertensiana	Merten's c.	M,gen	forest
striata	Striped c.	L-M,n-e	forest
CORNUS (Cornaceae)	DOGWOOD		
canadensis	Bunchberry	L-M,gen	forest
nuttallii stolonifera	Pacific d. Creek d.	L-M, nw-sw	forest
var. occidentalis	0,00%	L,gen	wet
* X unalaschkensis	Unalaska d.	L,nw,e	bog
CORONOPUS (Cruciferae)	WARTCRESS		
didymus		adventive	
CORYDALIS (Fumariaceae)	CORYDALIS		
aurea	Golden c.	\$,n-ne	
scouleri	Scouler's c.	L-M,e-n	forest
CORYLUS (Betulaceae)	HAZELNUT		
var. californica		L-M,n-s	
		•	

Species	Common Name	Range	Habitat
COTULA (Compositae) coronopifolia	COTULA Brass buttons	adventive	
CRATAEGUS (Rosaceae) douglasii var. suksdorfii monogyna oxyacantha	HAWTHORN Black h. English h. English h.	L-M,gen adventive adventive	
CREPIS (Compositae) capillaris nana ssp. nana nicaecensis occidentalis	HAWKSBEARD Smooth h. Dwarf h. French h. Western h.	adventive A,n-e adventive	
ssp. pumila  CROCIDIUM (Compositae)  multicaule	SPRING-GOLD	S,n TBE	dry
CRYPTANTHA (Boraginaceae) intermedia var. grandiflora	CRYPTANTHA Common c.	L-S,n-se	dry
CRYPTOGRAMMA (Polypodiaceae) crispa var. acrostichoides	ROCK-BRAKE Parsley-fern	M-S,gen	rocky
CUSCUTA (Cuscutaceae) epithymum salina	DODDER Common d. Saltmarsh d.	TBE L,sw-se	shore
CYNOSURUS (Gramineae) cristatus	DOGTAIL Crested d.	adventive	
CYSTOPTERIS (Polypodiaceae) fragilis	BLADDER-FERN Brittle b.	M-A,gen	
CYTISUS (Leguminosae) monspessulanus scoparius	BROOM French b. Scot's b.	adventive adventive	
DACTYLIS (Gramineae) glomerata	ORCHARD GRASS	adventive	
DANTHONIA (Gramineae) californica (continued)	DANTHONIA California d.	L,e-s	

Species	Common Name	Range	Habitat
DANTHONIA (Gramineae) (continued, intermedia spicata var. pinetorum	Timber d. Poverty d.	S-A,w-e-c L,e-se; M,e	dry
DAUCUS (Umbelliferae) carota pusillus	CARROT Queen Anne's Lace Rattlesnake weed	adventive L,nw-ne	dry
DELPHINIUM (Ranunculaceae) glareosum glaucum menziesii var. menziesii nuttallii	DELPHINIUM, LARKSPUR Rockslide 1. Pale 1. Menzies 1. Nuttall's 1.	S-A,n-e-c L,s; M-S,gen L-S,n-ne L,se-sw	moist
DESCHAMPSIA (Gramineae) atropurpurea var. latifolia cespitosa var. arctica var. cespitosa var. longiflora danthonioides elongata	HAIRGRASS Mountain h. Tufted h.  Annual h. Slender h.	S,n-c TBE L-S,gen S,n L,n L,gen; S,n	moist
DIANTHUS (Caryophyllaceae) deltoides	PINK Maiden p.	adventive	
DICENTRA (Fumariaceae) formosa	BLEEDING HEART Pacific b.	L-M,gen	forest
DIGITALIS (Scrophulariaceae) purpurea	FOXGLOVE	adventive	
DIPSACUS (Dipsacaceae) sylvestris	TEASEL	adventive	
DISPORUM (Liliaceae) hookeri var. oreganum smithii	FAIRY-BELL Hooker's f. Smith f.	L-M,n-s-c L-M,e-n	forest forest
DISTICHLIS (Gramineae) spicata var. borealis	SALTGRASS Seashore s.	L,sw-e	shore

Species	Common Name	Range	Habitat
DODECATHEON (Primulaceae)  * dentatum hendersonii jeffreyi pulchellum var. pulchellum	SHOOTING-STAR Dentate s. Henderson's s. Jeffrey's s. Dark-throat s.	n (Boulder Cr.) L,n,se-s S,gen L-S,n-ne-c	wet prairie wet wet
DOUGLASIA (Primulaceae) laevigata var. ciliolata * nivalis  DOWNINGIA (Campanulaceae) yina	DOUGLASIA Smooth d. Snow d. DOWNINGIA Cascade d.	M-A,n-e-c A (Blue Mountain)	rocky
var. major  DRABA (Cruciferae) crassifolia  * fladnizensis incerta  * lanceolata lonchocarpa	WHITLOW-GRASS, DRABA Thickleaved d. Austrian w. Yellowstone d. Lance-leaved d. Lance-fruited c.	L,se S-A,n S (Marmot Pass) S-A,n-ne A (Mt. Tyler)	wet
var. lonchocarpa nemorosa paysonii var. treleasii stenoloba var. stenoloba verna var. boerhaavii var. verna	Wood d. Payson's d. Slender d. Spring w.	S-A,n-se L,ne (reported) A,n-e S,n-e L,n-se L,n-se	rocky
DROSERA (Droseraceae) rotundifolia	SUNDEW	L,gen	wet
DRYOPTERIS (Polypodiaceae) austriaca * filix-mas	WOOD-FERN Spreading w. Male fern	L-M,gen A,c (Mt. Olympus)	moist moist
DULICHIUM (Cyperaceae) arundinaceum	DULICHIUM	L,ne-e	wet
EBUROPHYTON (Orchidaceae) austiniae	PHANTOM-ORCHID	L,ne-se	forest
ECHINOCHLOA (Gramineae) crusgalli	COCKSPUR Watergrass	adventive	

Species	Common Name	Range	Habitat
FLATINE (Flationer)	WATERWORT		
ELATINE (Elatinaceae) triandra	Three-stamen w.	L,nw-n	wet
ELEOCHARIS (Cyperaceae)	SPIKE-RUSH		
acicularis	Needle s.	L,nw	wet
ovata	Ovoid s.	L,se-sw	wet
palustris	Creeping s. Small s.	L,sw-n	wet
parvula var. parvula	Slidii S.	L,sw,nw	shore
var. parvara		2,5,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3
ELMERA (Saxifragaceae)	ELMERA		
var. racemosa		S-A,gen	rocky
ELODEA (Hydrocharitaceae)	WATERWEED		
canadensis	Canadian w.	L,gen	water
densa	South American w.	TBE	
ELYMUS (Gramineae)	WILDRYE		
glaucus	Blue w.		
var. breviaristatus		M-S,n-e-c	
var. glaucus var. jepsonii		L-S,n-s L-M.w-n	
hirsutus	Hairy w.	S,n,s	
mollis	Dune w.	L,sw-ne	shore
EMPETRUM (Empetraceae)	CROWBERRY		
nigrum		L,s-sw,nw; S,c-n	
EPILOBIUM (Onagraceae)	WILLOW-HERB		
alpinum	Alpine w.		
var. albiflorum		S,c	moist moist
var. alpinum		S-A,gen S-A,n-e-c	moist
var. clavatum var. gracillimum		S <sub>n</sub> n	moist
var. lactiflorum		L,sw-nw; M,e-s;	
var. racerriora		S,n-ne	
var. nutans		S,n-c	moist
angustifolium	Fireweed	L-S,gen	
glaberrimum	Smooth w.		
var. fastigiatum	•	M-\$,n-e	wet
glandulosum	Common w.	L,w; M-S,n-ne-c	moist
var. glandulosum var. macounii		M-S,e	moist
var. macounii var. tenue		S (reported)	moist
latifolium	Red w.	S-A,n-e-c	
luteum	Yellow w.	M-S,n-s-c	moist
(continued)			

Species	Common Name	Range	Habitat
EPILOBIUM (Onagraceae) (continued)	)		
minutum paniculatum	Small-flowered w. Autumn w.	L-S, nw-sw	dry
var. paniculatum	Watson's w.	L-S,n-se	dry
watsonii var. occidentale	watson's w.	L,n,s	wet
var. parishii		L,se-n; M,n	wet
var. watsonii		L,gen	wet
EPIPACTUS (Orchidaceae)	HELLEBORINE		
gigantea	Giant h.	L,n	wet
FOULSETIM (Fautactores)	HORSETAIL, SCOURING-RUSH		
EQUISETUM (Equisetaceae) arvense	Common h.	L-S,gen	
fluviatile	Water h.	L,gen	wet
hyemale	Common s.	-,3	
var. affine		L-M,gen	moist
laevigatum	Smooth s.	L,gen	moist
telmateia	Giant h.	t w	
var. braunii	Northern s.	L-M,gen	
variegatum var. variegatum	Northern S.	S,n-ne	wet
X ferrissii	Hybrid common s.	L,nw	moist
ERIGERON (Compositae)	DAISY, FLEABANE		
acris	Northern d.		
var. asteroides		M,n (Pat's Prai	rie)
var. debilis		S-A,n-ne	
aliceae	Alice f.	S,n,s	
compositus	Cutleaf d.	۸	wa aliu
var. discoideus var. glabratus		A,n-e S-A,n-e-c	rocky rocky
flettii (ENDEMIC)	Olympic Mt. d.	S-A,ne-e	rocky
peregrinus	Wandering d.	•	•
ssp. callianthemus			
var. angustifolius		S,nw-e-c	
var. eucallianthemu	IS .	S,gen	
var. scaposus ssp. peregrinus		S-A,n-e-c	
var. thompsonii (EN	IDEMIC)	L,sw	bog
philadelphicus	Philadelphia d.	L, gen	moist
strigosus	Daisy f.		
var. strigosus		L,se	
speciosus	Showy f.	L-S,n-ne	
var. speciosus		L-3,11-11e	
subtrinervis	Three-veined f.		

Species	Common Name	Range	Habitat
ERIOGONUM (Polygonaceae) ovalifolium var. nivale	ERIOGONUM Oval-leaved e.	A,n-ne-c	
ERIOPHORUM (Cyperaceae) chamissonis gracile * polystachion	COTTON-GRASS Chamisso's c. Slender c. Many spiked c.	L,nw,se,sw TBE S,c (Three Lakes)	wet wet wet
ERIOPHYLLUM (Compositae) lanatum * var. achillaeoides var. lanatum	WOOLLY SUNFLOWER	L-M,n-e; S,c L-S,gen	dry dry
ERODIUM (Geraniaceae) cicutarium	FILAREE	adventive	
ERYSIMUM (Cruciferae) arenicola var. arenicola (ENDE) var. torulosum cheiranthoides	WALLFLOWER Sand-dwelling w. MIC) Treacle mustard	S-A,n-ne-c M-A,gen adventive	rocky rocky
ERYTHRONIUM (Liliaceae) grandiflorum var. grandiflorum montanum oregonum revolutum	FAWNLILY Yellow f. Avalanche f. Giant f. Pink f.	S,n-e-c-s M-S,gen L-M,n-sw L,s-nw	
ESCHSCHOLZIA (Papaveraceae) californica	ESCHSCHOLZIA California poppy	adventive	
EUPHORBIA (Euphorbiaceae) lathyrus peplus	SPURGE Mole plant Petty s.	adventive adventive	
FESTUCA (Gramineae) arundinacea bromoides idahoensis var. idahoensis var. oregona megalura microstachys myuros occidentalis (continued)	FESCUE Reed f. Barren f. Idaho f.  Foxtail f. Nuttall's f. Rattail f. Western f.	adventive adventive  L,se; S,n S,n-se L,n-se L,ne adventive L-S,n-s	

Species	Common Name	Range	Habitat
FESTUCA (Gramineae) (continued)			
ovina			
var. brevifolia	Alpine f.	A,n-e	
var. rydbergii pratensis	Sheep f. Meadow f.	L,se; \$,n-e adventive	
rubra	Red f.	auventive	
var. littoralis		L,w-ne	shore
var. rubra		L,sw-w; L-S,n-e	
subulata	Bearded f.	L-S,w-e	
subuliflora	Coast Range f.	L-M,w-s	
FOENICULUM (Umbelliferae)	FENNEL		
vulgare		adventive	
FRAGARIA (Rosaceae)	STRAWBERRY		
chiloensis vesca	Coastal s. Woods s.	L,sw-n	shore
var. bracteata	woods s.	L-M,n-sw	
var. crinita		reported	
virginiana	Broadpetal s.	•	
var. platypetala		L,gen; M-S,n-se	
FRAXINUS (Oleaceae)	ASH		
latifolia	Oregon a.	L, se-sw	moist
FRITILLARIA (Liliaceae)	FRITILLARY		
lanceolata	Rice-root f.	L-M,n-se	
GALEOPSIS (Labiatae)	HEMPNETTLE		
tetrahit var. tetrahit	Common h.	adventive	
GALINSOGA (Compositae)	QUICKWEED	adventive	
GALIUM (Rubiaceae)	BEDSTRAW		
aparine var. aparine	Goosegrass	L,n-sw	
var. aparine var. echinospermum		L,gen	
bifolium	Thinleaf b.	S,e	meadow
boreale	Northern b.	L,e-nw; M-S,n-ne	
cymosum	Pacific b.	L,n-sw	moist
mollugo	Wild madder	TBE	
oreganum	Oregon b.	L-M,gen	moist
trifidum	Small b.	I-M gen	moist
var. pacificum triflorum	Fragrant b.	L-M,gen L-M,gen	moist
CI I I TOTUIII	ragiant b.	2 11,9011	

Species	Common Name	Range	Habitat
GAULTHERIA (Ericaceae) humifusa ovatifolia shallon	GAULTHERIA, WINTERGREEN Alpine w. Slender w. Salal	S-A,n-c M-S,n-e-c L-M,gen	moist forest forest
GENTIANA (Gentianaceae) amarella calycosa var. calycosa douglasiana sceptrum	GENTIAN Northern g. Mt. Bog g. Swamp g. Staff g.	L-M,n-e S-A,gen L,nw L,se-nw	moist wet bog
GERANIUM (Geraniaceae) bicknellii carolinianum columbinum dissectum molle pusillum robertianum viscosissimum var. nervosum	GERANIUM Bicknell's g. Carolina g. Long-stalked g. Cut-leaf g. Dovefoot g. Small-flowered g. Herb Robert Sticky purple g.	L,n-e L,n TBE adventive adventive adventive L,n	
GEUM (Rosaceae) macrophyllum var. macrophyllum triflorum var. campanulatum	AVENS Largeleaved a. Old man's whiskers	L-M,gen S,n-e	dry
GILIA (Polemoniaceae) capitata var. capitata	GILIA Globe g.	L,ne-se	
GITHOPSIS (Campanulaceae) specularioides	GITHOPSIS Common blue cup	TBE	dry
GLAUX (Primulaceae) maritima	SALTWORT	L,sw-se	shore
GLECOMA (Labiatae) hederacea	GROUND IVY	adventive	
GLEHNIA (Umbelliferae) leiocarpa	GLEHNIA American g.	L,sw-ne	shore
GLYCERIA (Gramineae) elata grandis (continued)	MANNAGRASS Tall m. American m.	L-M,nw-ne L,s	wet moist

Species	Common Name	Range	Habitat
GLYCERIA (Gramineae) (continued) leptostachya occidentalis	Slenderspike m. Western m.	L,se-sw TBE	wet
GNAPHALIUM (Compositae) chilense microcephalum var. thermale palustre	CUDWEED Cotton-batting plant White c. Lowland c.	L,se L,n-se L,n-sw	dry moist
purpureum var. purpureum uliginosum	Purple c. Marsh c.	L,nw-sw adventive	
GOODYERA (Orchidaceae) oblongifolia	RATTLESNAKE PLANTAIN Western r.	L-S,n-s	forest
GRINDELIA (Compositae) integrifolia var. integrifolia var. macrophylla	GUMWEED West Cascade g.	L,n-ne L,sw-se	shore
GYMNOCARPIUM (Polypodiaceae) dryopteris	OAK FERN	M-S,gen	forest
HABENARIA (Orchidaceae) dilatata var. dilatata var. leucostachys elegans hyperborea saccata unalascensis	BOG-ORCHID, REIN ORCHID White b. Elegant r. Green b. Slender b. Alaska r.	L-S,w-se-c L-S,w-e L-S,n-s M,n-ne; S,s-c M-S,n,e,s-c L-S,n-se-c	wet wet dry wet wet dry
HAPLOPAPPUS (Compositae) lyallii	GOLDEN WEED Lyall's g.	S-A,n-e-c	rocky
HEDERA (Araliaceae) helix	IVY English i.	adventive	
HEDYSARUM (Leguminosae) occidentale	SWEETVETCH, HEDYSARUM Western h.	S-A,n-e-c-s	
HELENIUM (Compositae) autumnale var. grandiflorum	SNEEZEWEED	L,s	moist
HEMEROCAULIS (Liliaceae)	DAY LILY	adventive	

Species	Common Name	Range	Habitat
HEMITOMES (Ericaceae)	GNOMEPLANT	L-S,n-se	forest
congestan		L 3,11 36	101631
HERACLEUM (Umbelliferae) lanatum	COW-PARSNIP	L-S,gen	moist
HESPERIS (Cruciferae) matronalis	HESPERIS Damask violet	adventive	
HEUCHERA (Saxifragaceae) chlorantha glabra micrantha var. diversifolia	ALUMROOT, HEUCHERA Green-flowered h. Smooth h. Small-flowered a.	L-M,ne,s S-A,n-e,s L-S,gen	•
HIERACIUM (Compositae) albiflorum aurantiacum cynoglossoides gracile	HAWKWEED White-flowered h. Orange h. Hound's tongue h. Western h.	L-S,gen adventive L,ne,s S,gen	dry moist
HIEROCHLOE (Gramineae) * odorata	SWEETGRASS	S,n-ne	moist
HIPPURUS (Hippuridaceae) montana vulgaris	MARE'S TAIL Mountain m. Common m.	M-S "Olympic Mts." L,gen	water
HOLCUS (Gramineae) lanatus mollis	VELVETGRASS Velvet grass Common v.	adventive adventive	
HOLODISCUS (Rosaceae) discolor	OCEAN-SPRAY Creambush o.	L-S,n-s	
HONKENYA (Caryophyllaceae) peploides	HONKENYA Sea purslane	L,sw-ne	shore
HORDEUM (Gramineae) brachyantherum depressum jubatum leporinum murinum vulgare	BARLEY  Meadow b.  Lowland b.  Squirrel-tail b.  Charming b.  Wall b.  Cultivated b.	L,sw-ne; S,n L,sw L,n-ne adventive (reported) TBE adventive	
HUTCHINSIA (Cruciferae) procumbens	HUTCHINSIA	L,n	shore

Habitat

Range

			Habitat
HYDROCOTYLE (Umbelliferae)	WATER-PENNYWORT		
ranunculoides		TBE	
HYDROPHYLLUM (Hydrophyllaceae) fendleri var. albifrons	WATERLEAF Fendler's w.	M-S,n-e	
tenuipes	Slender-stem w.	L,gen	moist
HYPERICUM (Hypericaceae) anagalloides calycinum formosum	ST. JOHN'S WORT Bog s. Rose of Sharon Western s.	L-S,gen adventive	wet
var. nortoniae var. scouleri perforatum	Common s.	S,c L-M,se-nw adventive	moist
HYPOCHAERIS (Compositae) glabra radicata	CAT'S EAR Smooth c. Hairy c.	adventive adventive	
HYPOPITYS (Ericaceae) monotropa	PINESAP	L-S,gen	forest
ILEX (Aquifoliaceae) aquifolium	HOLLY English h.	adventive	
IMPATIENS (Balsaminaceae) ecalcarata glandulifera	BALSAM Spurless b. Policeman's helmet	L,s adventive	moist
IRIS (Iridaceae) missouriensis pseudacorus tenax	FLAG Western blue f. Yellow f. Oregon iris	L (Sequim) (exting adventive L,s	ct?)
ISOETES (Isoetaceae) echinospora lacustris nuttallii	QUILLWORT Bristle-like q. Lake q. Nuttall's q.	L,nw L,nw-n TBE	wet wet
JAUMEA (Compositae) carnosa	JAUMEA Fleshy j.	L,n-se,sw	shore
JUNCUS (Juncaceae) acuminatus alpinus articulatus (continued)	RUSH Tapered r. Northern r. Jointed r.	L,gen L,n L,w	wet wet wet

Common Name

Species

Species	Common Name	Range	Habitat
JUNCUS (Juncaceae) (continued)			
balticus	Baltic r.		
var. balticus		L,nw-e,sw	wet
var. vallicola		TBE	
bolanderi	Bolander's r.	L,w,n	wet
bufonius	Toad r.	adventive	
covillei	Coville's r.		
var. covillei		L,w-n	wet
drummondii	Drummond's r.	_	
var. subtriflorus	•	S,n-e-c	
effusus	Common r.	- 1 . •	
var. compactus		adventive	4
var. gracilis		L,gen	moist
var. pacificus	D 1 6	L,gen	moist
ensifolius	Dagger-leaf r.	1 M -	
var. ensifolius		L-M, gen	moist moist
var. montanus	Sickle-leaved r.	S,n	moist
falcatus var. sitchensis	Sickle-leaved r.	Louis	shore
filiformis	Thread r.	L, SW	wet
	Mud r.	L,sw,nw	shore
gerardii lesueurii	Mud r. Salt r.	L,ne-se L,sw-nw	shore
mertensianus	Merten's r.	•	wet
nevadensis	Sierra r.	S,n-e	weL
var. nevadensis	Sierra 1.	Lava	wet
* orthophyllus	Straight-leaved r.	L,nw S,n	wet
oxymeris	Pointed r.	L,sw	wet
parryi	Parry's r.	A,n-e-c	wer
supiniformis	Spreading r.	L,sw-n	wet
* supinus	Bulbous r.	L,nw	wet
tenuis	Slender r.	L,IIW	WEL
var. tenuis	Stellder 1.	L,gen	moist
var. tellurs		L,9011	morse
JUNIPERUS (Cupressaceae)	JUNIPER		
communis	Common j.		
var. montana		M-A,n-e-c	
scopulorum	Rocky Mt. j.	M-S,n-ne	dry
3000001010	1,001,1,11,51		
KALMIA (Ericaceae)	LAUREL		
* microphylla	Alpine 1.	A,ne (Goat Lake)	moist
occidentalis	Western swamp 1.	L,gen	bog
		. •	
KELLOGGIA (Rubiaceae)	KELLOGGIA		
* galioides		S,ne (Boulder She	lterl
•			
KOELERIA (Gramineae)	KOELERIA		
cristata		L-M,n-se	dry

Species	Common Name	Range	Habitat
LACTUCA (Compositae) biennis	LETTUCE Tall blue 1.	adventive	
muralis serriola	Wall I. Prickly I.	adventive adventive	
LAMIUM (Labiatae) purpureum	DEAD-NETTLE Red d.	adventive	
LAPSANA (Compositae) communis	LAPSANA Nipplewort	adventive	
LASTHENIA (Compositae) minor	LASTHENIA Hairy 1.		
var. maritima		L,nw	shore
LATHYRUS (Leguminosae) japonicus latifolius	PEAVINE Maritime p. Everlasting p.	L,sw-ne adventive	shore
littoralis nevadensis ssp. lanceolatus	Beach p. Nuttall's p.	L,sw-ne	shore
var. pilosellus palustris	Marsh p.	L-S,n-s L,sw-ne	wet
polyphyllus sylvestris	Leafy p. Flat p.	L,n-se adventive	wet
vestitus ssp. ochropetalus	Pacific p.	TBE	
LEDUM (Ericaceae)	LABRADOR TEA		
groenlandicum	Bog 1.	L-M,gen	wet
LEMNA (Lemnaceae)	DUCKWEED		
minor trisulca	Water lentil Star d.	L,gen L,n	water water
		<b>L</b> , 11	water
LEONTODON (Compositae) autumnalis	HAWKSBIT Fall h.	adventive	
LEPIDIUM (Cruciferae) campestre	PEPPERGRASS Field p.	adventive	
virginicum var. medium	Tall p.	Lake Cushman (reported)	
var. menziesii		L,sw-ne	shore
LEPTARRHENA (Saxifragaceae) pyrolifolia	LEPTARRHENA	S,n-e-c	moist
-			

Species	Common Name	Range	Habitat
LEWISIA (Portulacaceae) columbiana var. rupicola pygmaea var. pygmaea	PURSLANE, LEWISIA Columbia 1. Alpine 1.	S,n-s-c S-A,n-ne	rocky
LIGUSTICUM (Umbelliferae) apiifolium grayi	LOVAGE Parsley-leaved 1. Gray's 1.	L,s (reported) L,s-sw	moist
LILAEOPSIS (Umbelliferae) occidentalis	LILAEOPSIS	L,sw-ne	shore
LILIUM (Liliaceae) columbianum	LILY Tiger 1.	L-S,gen	
LINANTHUS (Polemoniaceae) bicolor var. bicolor var. minimus	LINANTHUS Bicolored 1.	L,n-s L,n-ne	
LINARIA (Scrophulariaceae) canadensis var. texana vulgaris	TOADFLAX Wild t. Butter and eggs	TBE adventive	
LINNAEA (Caprifoliaceae) borealis var. longiflora	LINNAEA Twinflower	L-S,gen	forest
LISTERA (Orchidaceae) caurina convallarioides cordata	LISTERA, TWAY-BLADE Western t. Broad-lipped t. Heart-leaf t.	L-M,n-sw L-M,gen L-M,gen	moist moist
LITHOPHRAGMA (Saxifragaceae) * bulbifera parviflora	LITHOPHRAGMA Rocketstar Small-flowered l.	S (Hurricane Hill) L-S,n-ne	dry
LITHOSPERMUM (Boraginaceae) ruderale	GROMWELL Western g.	L,ne	dry
LLOYDIA (Liliaceae) serotina	LLOYDIA Alpine lily	S-A,n-ne,s	rocky
LOBELIA (Campanulaceae) dortmanna	LOBELIA Water 1.	L,nw-n	water

Species	Common Name	Range	Habitat
LOLIUM (Gramineae)	RYEGRASS		
multiflorum	Italian r.	adventive	
perenne	Perennial r.	adventive	`
temulentum	Annual r.	adventive (reported	,
LOMATIUM (Umbelliferae)	LOMATIUM		
dissectum	Fern-leaved 1.		
var. dissectum		S,n (reported)	
martindalei	Martindale's l.		
var. flavum		M-A,gen	
nudicaule	Pestle parsnip	L-S,n-ne	
triternatum	Nine-leaf 1.		
ssp. triternatum			
var. triternatum		Elma (reported)	
utriculatum	Pomo-celery	L,se; L-S,n	
LONICERA (Caprifoliaceae)	HONEYSUCKLE		
ciliosa	Orange h.	L-M,n-sw	
hispidula	Hairy h.	L,n-se	
involucrata	Black twinberry		
var. involucrata		L,gen; M,n-e	moist
utahensis	Red twinberry	M-S,n-e	
LOTUS (Leguminosae)	DEERVETCH, LOTUS		
corniculatus	Birdsfoot trefoil	adventive	
crassifolius	Big d.		
var. crassifolius	3	L,se-sw	
var. subglaber		L,se-sw	
denticulatus	Meadow 1.	L-M,n-s	
formosissimus	Seaside 1.	L,s	moist
micranthus	Small-flowered d.	L,n-w	
nevadensis	Nevada d.	•	
var. douglasii		L,se	
pinnatus	Bog d.	L,se-s	moist
purshiana	Spanish clover	TBE	
LUETKEA (D. )	DARTHURAFFORT		
LUETKEA (Rosaceae)	PARTRIDGEFOOT	S A	
pectinata		S-A,gen	
LUINA (Compositae)	LUINA		
hypoleuca	Silverback 1.	M-S,gen	rocky
LUNARIA (Cruciferae)	HONESTY		
annua		adventive	

Species Common Name Range Habitat LUPINUS (Leguminosae) LUPINE Sickle-keeled 1. albicaulis L.ne-s arboreus Tree 1. adventive Two-colored 1. bicolor L,n-s latifolius Broadleaf 1. var. latifolius L-S,gen var. subalpinus S,n-e-c Prairie 1. lenidus var. aridus L,se (reported) var. lepidus L,ne,se (reported) A.n-e var. lobbii littoralis Seashore 1. L.sw-ne Field 1. micranthus L,n-sw Chick 1. microcarpus var. scopulorum L,ne polyphyllus Many-leaved 1. Ocean Shores var. burkei (adventive?) var. polyphyllus L,n,s moist rivularis Streambank 1. L,gen

dry

forest

wet

LUZULA (Juncaceae) WOODRUSH campestris Field w. var. congesta L,n-se,sw L,w; S,n-e var. frigida var. multiflora L-S,gen Smooth w. (reported) hitchcockii Small-flowered w. L-S,gen parviflora Piper's w. piperi S-A,gen Spiked w. S-A,n-e-c spicata

LYCHNIS (Caryophyllaceae)

alba
coronaria
dioica

CAMPION
White c. adventive
Rose c. adventive
adventive

CLUBMOSS LYCOPODIUM (Lycopodiaceae) moist Stiff c. M-S,n-ne annotinum L-S,gen moist clavatum Ground pine moist Ground cedar M-S,n-ne complanatum Ground fir M-S.n-s-c moist selago Alaska c. L,nw; S,gen sitchense

LYCOPUS (Labiatae) BUGLEWEED americanus Cutleaved b. TBE uniflorus Northern b. L,gen

Species	Common Name	Range	Habitat
LYSICHITUM (Araceae)	SKUNK CABBAGE		
americanum	SKONK CADDAGE	L-M,gen	wet
LYSIMACHIA (Primulaceae)	LOOSESTRIFE		
terrestris	Bog 1.	TBE	
thyrsiflora	Tufted 1.	TBE	
LYTHRUM (Lythraceae)	LOOSESTRIFE		
salicaria	Purple 1.	adventive	
MADIA (Compositae)	TARWEED		
exigua	Little t.	L-M,n-ne	dry
glomerata	Mountain t.	L,n	dry
gracilis	Slender t.	L,n	dry
madioides	Woodland t.	L-M,n-se	
minima	Small head t.	TBE	
sativa	Coast t.		
var. sativa		L,nw-n	dry
MAIANTHEMUM (Liliaceae)	MATANTHEMUM		
dilatatum	Beadruby	L-M,gen	moist
MALVA (Malvaceae)	MALLOW		
moschata	Musk_m.	adventive	
neglecta	Dwarf m.	adventive	
parviflora	Alkali m.	adventive	
sylvestris	Common m.	adventive	
MARAH (Cucurbitaceae)	BIGROOT		
oreganus	Oregon b.	L,se-sw	
MARRUBIUM (Labiatae)	HOREHOUND		
vulgare		adventive	
MATRICARIA (Compositae)	PINEAPPLE WEED		
matricarioides		L,gen	
MECONELLA (Papaveraceae)	MECONELLA		
oregana	White m.	TBE	
MEDICAGO (Leguminosae)	MEDIC		
arabica	Spotted m.	adventive	
falcata	Sickle m.	adventive	
hispida	Hairy m.	adventive	
lupulina	Hop clover	adventive	
minima	Bur clover	adventive	
sativa	Alfalfa	adventive	

Common Name	Range	Habitat
ONIONGRASS, MELICA Harford's m. Smith's m.	L-M,n-se L,e-s	dry forest
Alaska o.	L-M,gen; S,n-e,s	forest
SWEET CLOVER White s. Small-flowered s. Common yellow s.	adventive adventive adventive	
MINT Field mint	L,gen	moist
Peppermint Spearmint	adventive adventive	ė
BUCK-BEAN	L-M,gen	water
MENZIESIA Fool's huckleberry	L-S,gen	forest
BLUEBELL Tall b. Western b.	M-S,n-s-c L,e-nw	moist moist
MICROSERIS Coast m. Cut-leaved m.	TBE L,e-sw	
MICROSTERIS Pink m. (intergrade occasionally)	L,gen; M-S,n-e	
MONKEY-FLOWER	2,3, 11,110	
Chickweed m. Tooth-leaved m. Yellow m.	L-M,n-e L,s-nw	moist
Great purple m.	L,n,e L,sw L-M,gen L,nw; M-S,gen	seacliff moist wet
	ONIONGRASS, MELICA Harford's m. Smith's m. Alaska o.  SWEET CLOVER White s. Small-flowered s. Common yellow s.  MINT Field mint Bergamot m. Peppermint Spearmint  BUCK-BEAN  MENZIESIA Fool's huckleberry  BLUEBELL Tall b. Western b.  MICROSERIS Coast m. Cut-leaved m.  MICROSTERIS Pink m.  (intergrade occasionally)  MONKEY-FLOWER Chickweed m. Tooth-leaved m. Yellow m.	ONIONGRASS, MELICA Harford's m. Smith's m. Alaska o.  L-M,gen; S,n-e,s  SWEET CLOVER White s. Small-flowered s. Common yellow s.  MINT Field mint Bergamot m. Peppermint Spearmint  BUCK-BEAN  MENZIESIA Fool's huckleberry  BUCK-BEAN  MENZIESIA Fool's huckleberry  L-S,gen  BLUEBELL Tall b. M-S,n-s-c L,e-nw  MICROSERIS Coast m. Cut-leaved m. L,gen adventive adventive L-M,gen  M-S,n-s-c L,e-nw  MICROSTERIS Pink m.  L,gen; M-S,n-s-c L,e-sw  MICROSTERIS Pink m. L,gen; M-S,n-e L,s-sw  L-M,n-e L,s-snw Yellow m. L-M,n-e L,s-nw Yellow m. L,n,e L,sw L-M,gen

Species	Common Name	Range	Habitat
MIMULUS (Scrophulariaceae) (	continued)		
moschatus	Musk-flowered m.		
var. moschatus	nask frontied in:	L-M,n-s-c	moist
var. sessilifolius		L,n-s	moist
* primuloides	Primrose m.	S,n,e	moist
tilingii	Large Mt. m.		
var. caespitosus		S,n-e-c	wet
var. tilingii		M-S,n-e-c	wet
MITELLA (Saxifragaceae)	MITREWORT		
breweri	Brewer's m.	M,e; S,gen	moist
caulescens	Leafy m.	L-M,nw-se	moist
ovalis	Oval-leaved m.	L,gen	moist
pentandra	Alpine-m.	M-S,gen	moist
trifida	Pacific m.	M-S,n-e	
MONOTROPA (Ericaceae)	INDIAN-PIPE		
uniflora		L-M,w,n-e	forest
MONTIA (Portulacaceae)	MONTIA		
* chamissoi	Chamisso's m.	S,n	wet
cordifolia	Broadleaved m.	S,gen	moist
diffusa	Branching m.	L,se; L-S,n	moist
fontana	Water chickweed		
var. tenerrima		L,se-s,n	wet
linearis	Narrow-leaved m.	L,ne,se	
parvifolia	Littleleaf m.	1 M	
var. flagellaris var. parvifolia		L-M,n L-S,gen	
perfoliata	Miner's lettuce	L,gen; M,n-s	
sibirica	Candyflower	L, gen, n, n s	
var. bulbifera	cana, r. cano.	L,e	forest
var. sibirica		L-M,gen	forest
spathulata	Pale m.	L,sw-ne	dune
MYOSOTIS (Boraginaceae)	FORGET-ME-NOT		
arvensis	Field f.	adventive	
discolor	Yellow and blue f.	adventive	
laxa	Small-flowered f.	L,s-nw	wet
micrantha	Blue scorpion grass	adventive	
scorpioides	Common f.	adventive	
sylvatica	Wood f.		
var. alpestris		''Hunley Rd., Clallam Co.''	
verna	Spring f.	TBE	
MYOSURUS (Ranunculaceae)	MOUSE-TAIL		
minimus	Tiny m.	L,n	moist
	•		

Species	Common Name	Range	Habitat
MYRICA (Myricaceae) californica gale	SWEET GALE, WAX MYRTLE Pacific w. Sweet gale	L,sw L,sw-nw	dune wet
MYRIOPHYLLUM (Haloragaceae) spicatum var. exalbescens var. spicatum	WATER-MILFOIL Spiked w.	L,gen L,nw-n	water water
NAJAS (Najadaceae) flexilis	WATER-NYMPH Wavy w.	L,nw	water
NAVARRETIA (Polemoniaceae) squarrosa	NAVARRETIA Skunkweed	L,n-ne	
NEMOPHILA (Hydrophyllaceae) parviflora var. parviflora pedunculata	NEMOPHILA Small-flowered n. Meadow n.	L,n-se L,n-ne	forest moist
NEPETA (Labiatae) cataria	NEPETA Catnip	adventive	
NEPHROPHYLLIDIUM (Menyanthaceae) crista-galli	DEER CABBAGE	L-M,sw-n	wet
NOTHOCHELONE (Scrophulariaceae) nemorosa	BEARD-TONGUE Woodland b.	M-S,gen	
NUPHAR (Nymphaeaceae) polysepalum	YELLOW WATER-LILY Spatterdock	L-M,gen	water
NYMPHAEA (Nymphaeaceae) odorata	WATER-LILY Fragrant w.	adventive	
OEMELERIA (Rosaceae) cerasiformis	INDIAN PLUM	L,nw-s	
OENANTHE (Umbelliferae) sarmentosa	WATER-PARSLEY Pacific w.	L,gen	wet
OENOTHERA (Onagraceae) strigosa	EVENING-PRIMROSE Common e.	L,n-se	
OPHIOGLOSSUM (Ophioglossaceae) vulgatum	ADDER'S TONGUE	L,e	

Species	Common Name	Range	Habitat
OPLOPANAX (Araliaceae) horridum	DEVIL'S CLUB	L-M,gen.	moist
OPUNTIA (Cactaceae) fragilis	PRICKLY-PEAR CACTUS Brittle p.	L,ne	dry
OROBANCHE (Orobanchaceae) californica var. californica var. grayana fasciculata * pinorum	BROOMRAPE California b. Clustered b. Pine b.	L,ne TBE L,ne-e; S,n-c M,n	
uniflora var. minuta var. purpurea	Naked b.	L,e L,e; M-S,n-s	dry
ORTHOCARPUS (Scrophulariaceae) attenuatus castillejoides imbricatus pusillus	OWL-CLOVER  Narrow-leaved o. Paint-brush o. Mountain o. Dwarf o.	TBE L,e-se,sw S-A,n-se-c L,n-s	shore
OSMARONIA (see OEMELERIA)			
OSMORRHIZA (Umbelliferae) chilensis occidentalis purpurea	SWEET-CICELY Mountain s. Western s. Purple s.	L-M,gen; S,n M-S,n-e M-S,gen; L,nw	moist
OXALIS (Oxalidaceae) corniculata oregana stricta * suksdorfii	OXALIS, WOOD SORREL Creeping yellow w. Oregon o. Yellow w. Western yellow o.	adyentive L-M,e-n TBE L,nw	forest dune
OXYRIA (Polygonaceae) digyna	MOUNTAIN SORREL	S-A,gen	moist
OXYTROPIS (Leguminosae) campestris var. gracilis * viscida	CRAZYWEED Field c. Sticky c.	S-A,n-e S-A,n-c	
PACHISTIMA (Celastraceae) myrsinites	PACHISTIMA Mt. lover	L-S,n-e-c	

Species	Common Name	Range	Habitat
PANICUM (Gramineae) capillare miliaceum occidentale scribnerianum	PANICGRASS, WITCHGRASS Common w. Broomcorn millet Western w. Scribner's w.	TBE adventive L,gen TBE	
PAPAVER (Papaveraceae) rhoeas somniferum	POPPY Corn p. Opium p.	adventive adventive	
PARENTUCELLIA (Scrophulariaceae) viscosa	PARENTUCELLIA Yellow p.	adventive	
PARNASSIA (Saxifragaceae) fimbriata var. fimbriata	GRASS-OF-PARNASSUS Fringed g.	M-S,n-sw-c	wet
PASTINACA (Umbelliferae) sativa	PARSNIP Common p.	adventive	*
PEDICULARIS (Scrophulariaceae) bracteosa var. atrosanguinea (EN contorta var. contorta groenlandica ornithorhyncha racemosa var. racemosa	LOUSEWORT Bracted 1.  DEMIC) White coiled-beak 1.  Elephant's head Bird's-beak 1. Leafy 1.	S,n-e-c S (Mt. Ellinor) L,sw; S,gen TBE S,gen	wet
PENSTEMON (Scrophulariaceae) attenuatus var. attenuatus davidsonii var. davidsonii var. menziesii ovatus procerus var. tolmiei serrulatus	PENSTEMON Sulphur p.  Davidson's p.  Broad-leaved p. Small-flowered p. Cascade p.	adventive A,n-c S-A,gen M-S,n-e-c S-A,n-e-c M-S,gen	rocky rocky forest rocky moist
PERIDERIDIA (Umbelliferae) gairdneri ssp. borealis	YAMPAH, FALSE-CARAWAY Gairdner's y.	L,n,se; S,n	

Species	Common Name	Range	Habitat
PETASITES (Compositae)	COLTSFOOT		
frigidus	Sweet c.		
var. nivalis var. palmatus		S,gen L-M,gen	moist moist
PETROPHYTUM (Rosaceae)	ROCKMAT		
hendersonii (ENDEMIC)	Olympic r.	S-A,gen	rocky
PHACELIA (Hydrophyllaceae) heterophylla	PHACELIA Varileaf p.		
var. heterophylla		M-S,n-ne	dry
var. pseudohispida	V== 41 == 4 ==	S,n-e-c-s	dry
nemoralis ssp. oregonensis	Woodland p.	L,se-nw	forest
sericea	Silky p.	2,50 1111	101030
var. sericea	, ,	S-A,n-e-c	
PHALARIS (Gramineae)	CANARYGRASS		
arundinacea	Reed c.	L,gen	wet
PHILADELPHUS (Hydrangeaceae)	MOCKORANGE		
lewisii		L-M,n-s	
PHLEUM (Gramineae)	TIMOTHY		
alpinum	Alpine t.	S-A,n-e-c	moist
pratense	Common t.	adventive	
PHLOX (Polemoniaceae)	PHLOX		
diffusa	Spreading p.		
var. longistylis		M-A,gen	rocky
* hendersonii	Henderson's p.	A,n-ne	rocky
PHRAGMITES (Gramineae)	REED		
communis	Common r.	L,nw	wet
PHYLLODOCE (Ericaceae)	MOUNTAIN-HEATHER		
empetriformis	Red m.	M-A,gen	
glanduliflora	Yellow m.	S-A,n-e-c	
X intermedia	Hybrid m.	S-A,ne-e-c	
PHYLLOSPADIX (Zosteraceae)	SURF-GRASS		
scouleri	Scouler's s.	L,sw-ne	shore
PHYSOCARPUS (Rosaceae)	NINEBARK		
capitatus	Pacific n.	L,gen	moist

Species	Common Name	Range	Habitat
PICEA (Pinaceae)	SPRUCE		
engelmannii	Engelmann s.	M-S,n-c	
sitchensis	Sitka s.	L-M,gen	
PINGUICULA (Lentibulariaceae)	BUTTERWORT		
vulgaris	Common b.	M-S,gen	wet
PINUS (Pinaceae)	PINE		
albicaulis	Whitebark p.	S-A,ne	
contorta	Lodgepole p.	L-S,gen	
monticola	Western white p.	L-S,gen	
ponderosa	Ponderosa p.	(reported and	
		introduced)	
PITYROGRAMMA (Polypodiaceae)	GOLD-BACK FERN		
triangularis	GOED BACK TERM		
var. triangularis		L-S,n-e	rocky
PLAGIOBOTHRYS (Boraginaceae)	POPCORN FLOWER		7
figuratus	Fragrant p.	L,n-s; S,n	moist
scouleri var. scouleri	Scouler's p.	L,n-s	moist
var. scourerr			
PLANTAGO (Plantaginaceae)	PLANTAIN		
hirtella	Mexican p.	L,sw	shore
lanceolata	English p.	adventive	
macrocarpa	Alaskan p.	L,sw-ne	wet
major	Common p.	- 4	
var. major		adventive L,sw	shore
var. pachyphylla maritima	Seaside p.	L,5W	31101 6
ssp. juncoides	Seaside p.	L,sw-se	shore
3351 Janes 1203		_,	
PLECTRITIS (Valerianaceae)	PLECTRITIS		
congesta	Rosy p.	L,gen	
PLEURICOSPORA (Ericaceae)	FRINGED-PINESAP		
fimbriolata	FRINGED-FINESAF	M,n	forest
Timbriorata		,, <b>,</b>	,
PLEUROPOGON (Gramineae)	SEMAPHORE-GRASS		
refractus	Nodding s.	L-S,gen	moist
DOA (C:)	DI HECDACE		
POA (Gramineae) annua	BLUEGRASS Annual b.	L,gen	
bulbosa	Bulbous b.	adyentive	
compressa	Canadian b.	L,gen	
confinis	Coastline b.	L,sw-ne	shore
(continued)			

Species	Common Name	Range	Habitat
POA (Gramineae) (continued)			
cusickii	Cusick's b.		
var. epilis		S-A,n-e-c	
var. purpurascens		S-A,n-e	
gracillima	Pacific b.		
var. gracillima		L,n;M-A,n-s	rocky
* grayana	Gray's b.	S-A,n,e	
howellii	Howell's b.	L,n,se	moist
incurva	Curly b.	S-A,n-e-c	
* interior	Inland b.	L,n	
* juncifolia	Alkali b.	L,n	
laxiflora	Loose-flowered b.	L,n	forest
leptocoma	Bog b.		
var. leptocoma		S,n-ne	
var. paucispicula		\$-A,n-e-c-s	
macrantha	Seashore b.	L,sw-ne	shore
marcida	Withered b.	L,w-n	moist
nervosa	Wheeler's b.		
var. nervosa		L,s (reported)	
var. wheeleri	F 1.1	S,ne	
palustris	Fowl b.	adventive	
pratensis	Kentucky b.	L,gen; S,e; A,n	
stenantha suksdorfii	Trinius' b. Suksdorf's b.	M-S,n-e	
trivialis		A,ne adventive	
LIIVIAIIS	Roughstalk b.	adventive	
POLEMONIUM (Polemoniaceae)	POLEMONIUM		
carneum	Great p.	L,s-nw	
pulcherrimum	Showy p.	_,5	
var. calycinum		S,nw-ne-c	
var. pulcherrimum		S-A, gen	
· ·		, ,	
POLYGONUM (Polygonaceae)	SMARTWEED, KNOTWEED		
amphibium	Water lady's-thumb	L,nw-ne	wet
aviculare	Knotweed	advent <b>i</b> ve	
bistortoides	American bistort	S,gen	
coccineum	Water s.	TBE	
convolvulus	Black bindweed	adventive	
cuspidatum	Japanese k.	adventive	
douglasii	Douglas' k.		
var. douglasii		L,n-se	
var. latifolium		M-S,n-se	
fowleri	Fowler's k.	L,n-e	shore
hydropiper	Smartweed	adventive	
hydropiperoides	Waterpepper	***	
var. hydropiperoide		TBE	
lapathifolium	Willow weed	adventive	
minimum	Broadleaf k.	M-S,n-se-c	
(continued)			

Species	Common Name	Range	Habitat
POLYGONUM (Polygonaceae) (cor	ntinued)		
newberri	Newberry's fleece fle	ower	
var. glabrum		S-A,n	
nuttallii	Nuttall's k.	L-M,e-c-w	
paronychia	Nailwort k.	L,sw-ne	shore
pennsylvanicum	Inkweed	adventive	
persicaria	Heartweed	adventive	
punctatum	Dotted s.	TBE	
spergulariaeforme	Spurry k.	L,ne	moist
* viviparum	Alpine bistort	S,ne	moist
POLYPODIUM (Polypodiaceae)	POLYPODY		
glycyrrhiza	Licorice fern	L-M,gen	
hesperium	Western p.	M-S,gen	
scouleri	Leather-leaf p.	L,sw-nw	(near the se
POLYPOGON (Gramineae)	POLYPOGON, BEARD-GRASS		•
interruptus	Ditch p.	L,n	
monspeliensis	Annual b.	adventive	
POLYSTICHUM (Polypodiaceae)	HOLLY-FERN, SWORD-FERN		
andersonii	Anderson's s.	M-S,s-c	moist
kruckebergii	Kruckeberg's s.	A,n-ne	rocky
lonchitis	Mountain h.	S-A,gen	
munitum	Swordfern		
var. imbricans		L-M,n-e	dry
var. munitum		L-S,gen	
POPULUS (Salicaceae)	ASPEN, COTTONWOOD		
* tremuloides	Quaking a.	L,n-ne,se; S,n	
trichocarpa	Northern black c.	L-M,gen	
PORTULACA (Portulacaceae)	PORTULACA		
oleracea	Common purslane	TBE	
POTAMOGETON (Potamogetonaceae)	PONDWEED		
alpinus	Reddish p.	L,sw	water
amplifolius	Large-leaved p.	L,n-ne	water
berchtoldii	Berchtold's p.	L,sw; M,n	water
epihydrus	Ribbon-leaf p.	L,e-nw	water
gramineus	Grass-leaved p.	L,se,sw,nw	water
illinoensis	Illinois p.	L,n	water
natans	Floating-leaved p.	L,sw-e	water
nodosus	Long-leaved p.	L,n-ne	water
praelongus	Long-stalked p.	L,nw,ne	water
pusillus	Small p.	L,ne	water
richardsonii	Richardson's p.	L,nw	water water
robbinsii zosteriformis	Robbin's p. Eelgrass p.	L,nw,e TBE	Water

Species	Common Name	Range	Habitat
POTENTILLA (Rosaceae) anserina	POTENTILLA, CINQUEFOIL Common silverweed	ТВЕ	
diversifolia var. diversifolia drummondii flabellifolia fruticosa glandulosa var. glandulosa gracilis var. gracilis norvegica pacifica palustris villosa	Varied-leaf c.  Drummond's c. Fan-leaf c. Shrubby c. Sticky c.  Slender c.  Norwegian c. Pacific silverweed Marsh c. Villous c.	S-A,n-ne S-A,n S,n-ne-c M-S,n-ne-c M-S,n-ne-c L,n-s; S,n adventive L,sw-se L,n-ne,sw	shore wet
var. parviflora	VIIIous C.	A,n-ne	rocky
PRENANTHES (Compositae) alata	RATTLESNAKE-ROOT Western r.	L,w; M,gen	moist
PRUNELLA (Labiatae) vulgaris var. lanceolata var. vulgaris	SELF-HEAL	L-M,gen adventive	moist
PRUNUS (Rosaceae) avium cerasus domestica emarginata var. emarginata var. mollis	CHERRY Sweet c. Sour c. Cultivated plum Bitter c. Common chokecherry	adventive TBE adventive L-S,n L-M,n-s	
var. demissa  PSEUDOTSUGA (Pinaceae) menziesii var. menziesii	DOUGLAS-FIR	L (Lake Cushman) L-S,gen	
PSORALEA (Leguminosae) physodes	SCURF-PEA California-tea	L,n-se; M,ne	
PTERIDIUM (Polypodiaceae) aquilinum var. pubescens	BRACKEN	L-S,gen	
PTEROSPORA (Ericaceae) andromedea	PINEDROPS	L-M,n-ne-c	forest

Species	Common Name	Range	Habitat
PUCCINELLIA (Gramineae)	ALKALI-GRASS		
maritima	Coast a.	TBE	
nutkaensis	Pacific a.	L,n (extinct?)	
nuttalliana	Nuttall's a.	L,n-ne	shore
pauciflora	Weak a.		
var. microtheca		L,n; M,ne	
var. pauciflora	D 6	L-M,w-e TBF	moist
pumila	Dwarf a.	IBE	
PYROLA (Ericaceae)	PYROLA, WINTERGREEN		
* aphylla	Leafless p.	L-M,gen	forest
asarifolia	Common pink p.	, ,	
var. asarifolia		M,ne	forest
var. purpurea		L-M,n-sw-c	forest
chlorantha	Greenish p.	L-M,n-e	forest
dentata	Toothleaf p.	L-S,n-se	forest
* minor	Lesser w.	M-S,n-ne	forest
picta	Whitevein p.	M-S,n-s-c	forest
secunda	One-sided p.		
var. secunda		M-S,n-e-c	forest
uniflora	Woodnymph	L-M,sw-ne; S,n	forest
PYRUS (Rosaceae)	PEAR, APPLE		
communis	Cultivated p.	adventive	
fusca	Western crabapple	L-M,gen	moist
malus	Cultivated a.	adventive	
QUERCUS (Fagaceae)	OAK		
garryana	Garry oak	L,ne,se-s	
garryana	,	, ,	
RANUNCULUS (Ranunculaceae)	BUTTERCUP		
acris	Meadow b.	adventive	
aquatilis	White water-b.		
var. capillaceus	•	L,nw-n	water
var. hispidulus		L,sw-n	water
californicus	California b.	TBE	
cooleyae	Cooley's b.	S (Mt. Colonel Bob)	
cymbalaria	Shore b.	L,n-se	wet
eschscholtzii	Subalpine b.	C A	
var. eschscholtzii		S-A,ne-s-c	
var. suksdorfii		S-A,n-e-c	moist
flammula	Lesser spearwort	L,gen	MOISE
glaberrimus	Sagebrush b.	S-A p-p0	
* var. ellipticus	Macoun's b.	S-A,n-ne	
macounii	macoun's b.	L,s	moist
var. macounii		L,5	IIO I S C
(continued)			

Species	Common Name	Range	Habitat
200000000000000000000000000000000000000			
RANUNCULUS (Ranumculaceae) (con occidentalis	tinued) Western b.		
var. occidentalis	western b.	L,gen	
orthorhynchus	Straightbeak b.	L, gen	
var. orthorhynchus	cerarymeter at	L,n-sw	moist
* var. platyphyllus		L,n,sw	
pensylvanicus	Pennsylvania b.	L,se	wet
repens	Creeping b.		
var. pleniflorus		adventive	
var. repens		adventive	
sceleratus	Blister b.		
var. sceleratus		adventive	
subrigidus	Stiff-leaved water b.	L,nw	water
uncinatus var. parviflorus	Little b.	I C	
var. parviriorus var. uncinatus		L-S,gen L-S,n-sw	moist moist
var. uncinatus verecundus	Modest b.	A,n-c-e	IIOISL
vereculidas	nodest b.	A,11-C-E	
RAPHANUS (Cruciferae)	RAPHANUS		
raphanistrum	Jointed charlock	adventive	
sativus	Wild radish	adventive	
RESEDA (Resedaceae)	MIGNONETTE		
alba	Upright m.	adventive	
RHAMNUS (Rhamnaceae)	CASCARA		
purshiana		L,gen; S,ne	
RHINANTHES (Scrophulariaceae)	RATTLE-BOX		
crista-galli	Yellow r.	TBE	
Cirsta garri	Terrow 1.	102	
RHODODENDRON (Ericaceae)	RHODODENDRON		
albiflorum	White r.	M-S,n-e-c	moist
macrophyllum	Pacific r.	L-M,n-se-c	forest
• •			
RHUS (Anacardiaceae)	SUMAC		
diversiloba	Poison oak	L,n-se	dry
DIRWING CO. A.	D.F.A.V.P.II.G.V		
RHYNCHOSPORA (Cyperaceae)	BEAKRUSH	Laurani	wet
alba	White b.	L,sw-nw	wer
RIBES (Grossulariaceae)	CURRANT, GOOSEBERRY		
bracteosum	Stink c.	L-M,s-n,e	moist
divaricatum	Coast black g.	L-M,n-sw	1110136
howellii	Mapleleaf c.	S,n-e-c	
lacustre	Swamp g.	L-S,n-s-c	
laxiflorum	Trailing black c.	L,s-n; M-S,n-e	
lobbii	Gummy g.	L-M,n-ne	
(continued)			

Species	Common Name	Range	Habitat
21256 /0 1 1			
RIBES (Grossulariaceae) (continuation)	Red-flowering c.	L-M.n-sw	
* triste	American wild c.	M-S,n-ne	moist
~ triste	American wird c.	n-3,11-11e	IIIOTSL
ROMANZOFFIA (Hydrophyllaceae)	MISTMAIDEN		
sitchensis	Sitka m.	S-A,gen	rocky
tracyi	Tracy's m.	L,sw-n	seacliff
RORIPPA (Cruciferae) amoracia curvisiliqua	CRESS, YELLOWCRESS Horseradish Western y.	adventive	
var. curvisiliqua var. lyrata		L,n-sw TBE	moist
islandica	Marsh y.		
var. hispida		L,se	moist
var. islandica		L,n-s	• wet
var. occidentalis		L,ne-sw	moist
nasturtium-aquaticum	Water-cress	adventive	
obtusa	Blunt leaved y.	L,nw	moist
sylvestris	Creeping y.	adventive	
ROSA (Rosaceae)	ROSE		
canina	Dog r.	adventive	
eglanteria	Sweetbriar	adventive	
gymnocarpa	Baldhip r.	L-S, gen	forest
nutkana	Nootka r.		
var. nutkana		L,gen; M-S,n-e-c	
pisocarpa	Clustered wild r.	L,ne-s	moist
rugosa	Rugosa r.	adventive	
RUBUS (Rosaceae)	BLACKBERRY, RASPBERRY		
discolor	Himalayan b.	adventive	
laciniatus	Evergreen b.	adventive	
lasiococcus	Dwarf bramble	M-S,n-sw-c	forest
leucodermis	Blackcap	L-M,gen;S,n	
macrophyllus	Large-leaved b.	adventive	
nivalis	Snow bramble	L-M,n-e	moist
parviflorus	Thimbleberry	L-S,gen	
pedatus	Five-leaved bramble	L-\$,gen	moist
spectabilis	Salmonberry	L-M,gen	moist
ursinus	Pacific b.		
var. macropetalus		L-M,gen	
vestitus	European b.	adventive	
RUMEX (Polygonaceae)	SORREL, DOCK		
acetosella	Sheep s.	adventive	
conglomeratus	Clustered d.	adventive	
crispus	Curly d.	adventive	
(continued)			

Species	Common Name	Range	Habitat
RUMEX (Polygonaceae) (continued)			
maritimus (continuea)	Seaside d.	L,nw-ne	wet
obtusifolius	Bitter d.	adventive	WEL
occidentalis	Western d.	davenerve	
var. procerus		L-M,sw-ne	wet
persicarioides	Seashore d.	L,ne	shore
salicifolius	Willow d.	ŕ	
ssp. salicifolius		L,n-se	
RUPPIA (Ruppiaceae)	DITCHGRASS		
maritima		L,sw-ne	water
SAGINA (Caryophyllaceae)	PEARLWORT		
crassicaulis	Stickstemmed p.	L,sw-se	shore
occidentalis	Western p.	L,sw (reported)	moist
procumbens	Procumbent p.	adventive	
saginoides	Alpine p.	M,ne-e,s; S-A,c	moist
SAGITTARIA (Alismataceae)	ARROWHEAD		
latifolia	Wapato	L,ne,se	water
SALICORNIA (Chenopodiaceae)	SAMPHIRE, GLASSWORT	0.	
europaea	European g.	TBE	
virginica	Woody g.	L,sw-se	shore
SALIX (Salicaceae)	WILLOW		
arctica	Arctic w.	A,n-ne-c	
barclayi	Barclay's w.	M-A,n-ne-c	moist
commutata	Variable w.	M-S,gen	moist
geyeriana	Geyer w.		
var. meleiana		L,se	moist
hookeriana lasiandra	Hooker w. Pacific w.	L,s-nw	
var. lasiandra	Pacific w.	L-M,gen	moist
nivalis	Snow w.	L-71, gen	IIOISL
var. nivalis	3110W W.	A,n-ne	
pedicellaris	Bog w.	TBE	
piperi	Piper's w.	L-M,n,e-sw	moist
rigida	Mackenzie w.	,,,,,	
var. macrogemma		TBE	
scouleriana	Scouler's w.	L-S,gen	
sitchensis	Sitka w.	L-S,gen	moist
SAMBUCUS (Caprifoliaceae)	ELDERBERRY		
cerulea	Blue e.	L,n-se; M,n-ne	
racemosa	Coast red e.		
var. arborescens		L-M,gen; S,ne	

Species	Common Name	Range	Habitat
SANGUISORBA (Rosaceae)	BURNET		
menziesii	Menzies' b.	L,w-nw; M,n	wet
officinalis	Garden b.	L,sw-nw	wet
* sitchensis	Sitka b.	M,n-c	wet
SANICULA (Umbelliferae)	SANICLE		
arctopoides	Footsteps of spring	L,sw	shore
bipinnatifida	Purple s.	TBE	
crassicaulis	Pacific s.		
var. crassicaulis		L-M,n-se	forest
graveolens	Sierra s.	L-S,n-ne,s	dry
SATUREJA (Labiatae)	SAVORY		
douglasii	Yerba buena	L-M,n-s	
SAUSSUREA (Compositae)	SAUSSUREA		
americana	American sawwort	M-S,n-ne-c-s	moist
SAXIFRAGA (Saxifragaceae)	SAXIFRAGE		
arguta	Brook s.	M-S,n-e	moist
bronchialis	Spotted s.		
var. austromontana		M-A,n-e-c	rocky
var. vespertina		"Mt. 0'Neil"	rocky
caespitosa	Tufted s.	1 m. C-A com	months
var. emarginata		L,n; S-A,gen M,n-ne-c	rocky rocky
var. subgemmifera * debilis	Pygmy s.	S-A,n-ne	rocky
ferruginea	Rusty s.	3-A,11 11C	TOCKY
* var. ferruginea	Nusty s.	S.s	moist
var. macounii		M-S,gen	moist
integrifolia	Swamp s.	,,,	
var. integrifolia	•	L,n,s	
mertensiana	Merten's s.	M-S,gen; A,ne	
nuttallii	Nuttall's s.	L,s-sw	wet
occidentalis	Western s.		
var. rufidula		L,n,e; S-A,gen	moist
oppositifolia	Purple s.	A,n-e-c	rocky
oregana	Oregon s.	TDE	
var. oregana	D-44 d -	TBE	
punctata	Dotted s.	M-S,gen	moist
var. cascadensis tolmiei	Alpine s.	1, 3,9611	110136
var. tolmiei	Alpine 31	M,n; S-A,gen	moist
SCILLA (Liliaceae)	SOUILL		
hispanica	Spanish bluebell	adventive	
iii spaiii ca	opani sti oracoci i		

Species	Common Name	Range	Habitat
coupping (o	DUI DUCU CLUDDUCU		
SCIRPUS (Cyperaceae)	BULRUSH, CLUBRUSH Hardstem b.	1	
acutus * americanus	American b.	L,gen	wet
cernus	low c.	L,sw L,sw-nw	wet shore
cespitosus	Tufted c.	L,sw	bog
* cyperinus	Woolgrass	L,e	wet
maritimus	Seacoast b.	2,0	WEL
var. paludosus	sedeodst 5.	L,n-ne	shore
microcarpus	Small-flowered b.	L,gen; M,n	wet
validus	Softstem b.	TBE	
SCROPHULARIA (Scrophulariaceae)	FIGWORT		
californica	California f.		
var. oregana		L,s-ne; M,sw	wet
lanceolata	Lance-leaf f.	L,se	wet
SCUTELLARIA (Labiatae)	SKULLCAP		
galericulata	Willow-weed s.	TBE	
lateriflora	Mad-dog s.	TBE	
SEDUM (Crassulaceae)	SEDUM		
acre	Wallpepper	adventive	
divergens	Spreading s.	M-A,gen	rocky
lanceolatum	Lance-leaved s.		
var. lanceolatum		M-A,n-e	rocky
var. nesioticum		L,n-ne	rocky
* var. rupicolum		M-S,ne	rocky
lydium	Lydian s.	adventive	and the
oreganum	Oregon s.	L-M,n-e	rocky
spathulifolium	Broadleaf s. Wormleaf s.	L-M,gen	rocky dry
stenopetalum (villosum and albumpossib		S,n-ne adventive	ury
SELAGINELLA (Selaginellaceae)	SELAGINELLA		
densa	Compact s.	A 505	
var. scopulorum douglasii	Douglas's s.	A,gen L,sw; M,n (reporte	d)
oregana	Oregon s.	L,s-nw	forest
wallacei	Wallace's s.	L-S,n-e	rocky
SENECIO (Compositae)	GROUNDSEL, BUTTERWEED		
flettii	Flett's g.	S-A,n-e-c	rocky
fremontii	Dwarf Mtb.		•
var. fremontii		A,ne-e-c	rocky
jacobaea	Tansy ragwort	advent i ve	
lugens	Black-tipped b.	A,ne	
macounii	Puget b.	L,e-s	dry
(continued)			

Species	Common Name	Range	Habitat
SENECIO (Compositae) (continued) neowebsteri (ENDEMIC) sylvaticus triangularis	Olympic Mt. b. Wood g. Arrowleaf g.	A,n-ne adventive	rocky
var. angustifolius var. triangularis vulgaris	Common g.	L,sw M-S,n-c-s adventive	bog moist
SETARIA (Gramineae) viridis	FOXTAIL, BRISTLEGRASS Green b.	ТВЕ	
SHEPHERDIA (Eleagnaceae) * canadensis	BUFFALO-BERRY Russet b.	L,ne; A,ne	dry
SHERARDIA (Rubiaceae) arvensis	BLUE FIELD-MADDER	adventive	
SIBBALDIA (Rosaceae) procumbens	SIBBALDIA Creeping s.	S-A,gen	
SIDALCEA (Malvaceae) campestris hendersonii	CHECKERMALLOW Meadow c. Henderson's c.	adventive L,sw-ne	shore
SILENE (Caryophyllaceae) acaulis var. exscapa antirrhina armeria conica cucubalus douglasii var. douglasii gallica menziesii var. menziesii noctiflora parryi	CATCHFLY, SILENE Moss campion  Sleepy cat. Sweet William cat. Striated cat. Bladder campion Douglas' s.  Windmill pink Menzies' s.  Night-flowering s. Parry's s.	A,n-e adventive adventive TBE adventive M-A,gen adventive "Clallam County" (reported) adventive S-A,n	rocky
scouleri var. scouleri SISYMBRIUM (Cruciferae) altissimum officinale SISYRINCHIUM (Iridaceae)	Scouler's s.  TUMBLE MUSTARD  Jim Hill mustard  Hedge mustard  SISYRINCHIUM	L,ne adventive adventive	prairie
angustifolium californicum douglasii	Blue-eyed grass Golden-eyed grass Grass-widows	L,gen; S,n L,sw L,S,n	moist wet

Species	Common Name	Range	Habitat
SITANION (Gramineae) * hystrix	SQUIRRELTAIL Bottle-brush s.		
var. hystrix	bottle blush 3.	S-A,n-ne	
SIUM (Umbelliferae)	WATER-PARSNIP Hemlock w.	L,ne	wet
SMELOWSKIA (Cruciferae)	SMELOWSKIA	L,116	wer
calycina	Alpine s.		
var. americana ovalis	Shortfrond s.	S-A,n-ne-c "Olympic Mts." (reported)	
SMILACINA (Liliaceae)	SOLOMON-PLUME		
racemosa stellata	Western s. Starry s.	L-M,gen; S,n L-M,gen; S,n-ne	
SOLANUM (Solanaceae)	NIGHTSHADE		
dulcamara	Bittersweet	adventive	
nigrum sarrachoides	Black n. Hairy n.	adventive adventive	
	·		
SOLIDAGO (Compositae) canadensis	GOLDENROD Canadian g.		
var. salebrosa	canaaran g.	L-M,gen	moist
var. subserrata		L,sw-nw	moist
missouriensis var. tolmieana	Missouri g.	L,ne	prairie
multiradiata	Northern g.	L,116	prarrie
var. scopulorum		S-A,gen	
spathulata	Dune g.		
var. neomexicana		L,e-se	
SONCHUS (Compositae)	SOW-THISTLE		
arvensis	Field milk-thistle	TBE	
asper	Prickly s.	adventive adventive	
oleraceus uliginosus	Common s. Marsh s.	adventive	
CORRUC (Do-co-co)	MOUNTAIN-ASH		
SORBUS (Rosaceae) aucuparia	European m.	adventive	
scopulina	Cascade m.		
var. cascadensis		M-S,n-e-c	
sitchensis	Sitka m.	M-S,gen; L,w	
var. grayi var. sitchensis		M-S,n	
		•	

Species	Common Name	Range	Habitat
SPARGANIUM (Sparganiaceae) angustifolium emersum	BUR-REED Floating b. Simplestem b.	L,nw	water
var. emersum var. multipedunculatu	(not clearly	L,gen	water
var. marerpeadirearaca	separable,	L,gen	water
eurycarpum * minimum	Broadfruited b. Small b.	L,nw L,e	water water
SPERGULA (Caryophyllaceae) arvensis	SPERGULA Cornspurry	adventive	
SPERGULARIA (Caryophyllaceae) canadensis macrotheca marina rubra	SANDSPURRY Canada s. Beach s. Saltmarsh s. Red s.	L,sw-se L,n adventive adventive	shore shore
SPIRAEA (Rosaceae) betulifolia * var. lucida densiflora var. densiflora * var. splendens douglasii	SPIREA Shiny-leaf s. Subalpine s.	M,ne S,gen S,n-ne	
var. douglasii var. menziesii	Douglas's s. Menzies' s.	L,n-se L-M,gen	wet wet
SPIRANTHES (Orchidaceae) romanzoffiana var. romanzoffiana	LADIES' TRESSES	L,gen; S,c	moist
SPIRODELA (Lemnaceae)	GREAT-DUCKWEED	L.n-ne	water
polyrhiza STACHYS (Labiatae) cooleyae mexicana	BETONY, HEDGE-NETTLE Cooley's h. Mexicana	L-S,gen L,s-n	moist
STELLARIA (Caryophyllaceae) calycantha var. bongardiana var. calycantha var. sitchana crispa humifusa longifolia (continued)	STARWORT Thick-leaved s. Crisped s. Spreading s. Long-leaved s.	L-M,sw-n-c-e; S,n- S-A,n-ne-c L-M,sw-n-c; S,n-ne L,gen; M-S,n-ne L,se,sw L-M,ne-e	

Species	Common Name	Range	Habitat
STELLARIA (Caryophyllaceae) (con longipes var. altocaulis var. longipes media nitens obtusa simcoei	Long-stalked s.  Chickweed Shining chickweed Blunt-sepaled s. Simcoe Mt. s.	TBE L,ne,sw adventive L-M,n S-A,n-ne-c L,w,n,e; M,n	moist moist
STENANTHIUM (Liliaceae) occidentale	STENANTHIUM Western s.	M-S,n-e-c	moist
STIPA (Gramineae) occidentalis var. minor	NEEDLEGRASS Small n.	A,n-ne	rocky
STREPTOPUS (Liliaceae) amplexifolius var. americanus var. chalazatus roseus var. curvipes streptopoides var. brevipes	TWISTED-STALK Clasping-leaved t. (often sympatric) Rosy t. Kruhsea	L-M,gen L,sw-nw; M-S,n-e L-S,gen L-M,w,n,e; S,n-ne	moist forest moist forest
SUAEDA (Chenopodiaceae) maritima	SEABLITE Herbaceous s.	L,e	shore
SUBULARIA (Cruciferae) aquatica	AWLWORT	L,nw	water
SYMPHORICARPOS (Caprifoliaceae) albus var. laevigatus mollis var. hesperius	SNOWBERRY Common s. Creeping s.	L,gen; M,n-ne L-S,n-s	
SYMPHYTUM (Boraginaceae) asperum officinale	COMFREY Rough c. Common c.	adventive adventive	
SYNTHYRIS (Scrophulariaceae) pinnatifida var. lanuginosa (ENDEA reniformis schizantha	KITTENTAILS, SYNTHYRIS Cutleaf s. MIC) Snow-queen Fringed s.	A,n-ne L,w-nw M,s	

Species	Common Name	Range	Habitat
TANACETUM (Compositae) douglasii vulgare	TANSY Western t. Common t.	L,sw-nw adventive	dune
TARAXACUM (Compositae) ceratophorum eriophorum lyratum officinale	DANDELION Horned d. Rocky Mt. d. Dwarf alpine d. Dandelion	A,n-ne A,n S,n adventive	
TAXUS (Taxaceae) brevifolia	YEW Pacific y.	L-M,gen; S,n-ne	
TEESDALIA (Cruciferae) nudicaulis	SHEPHERD'S CRESS	adventive	10.
TELLIMA (Saxifragaceae) grandiflora	FRINGECUP	L-M,gen; S,e	moist
THALICTRUM (Ranunculaceae) occidentale	MEADOWRUE Western m.	L,se-s; M-S,n-e-c	
THERMOPSIS (Leguminosae) montana var. ovata	THERMOPSIS Mountain t.	L,s-sw	
THLASPI (Cruciferae) arvense fendleri	PENNYCRESS Fanweed Fendler's p.	adventive	
var. glaucum		S-A,n,s	
THUJA (Cupressaceae) plicata	CEDAR Western red c.	L-M,gen	
THYSANOCARPUS (Cruciferae) * curvipes	LACEPOD, FRINGEPOD Sand f.	M,n	dry
TIARELLA (Saxifragaceae)	FOAMFLOWER		
trifoliata * var. laciniata var. trifoliata var. unifoliata		M,n-e; S,n L-S,gen L-M,n-e-c	forest forest forest
TOFIELDIA (Liliaceae) glutinosa var. brevistyla	TOFIELDIA Sticky t.	L,e-se,w-n; S,c-n	-ne

TOLMIEA (Saxifragaceae) menziesii  TRAGOPOGON (Compositae) miscellus porrifolius porrifolius porrifolius pratensis  TRAUTVETTERIA (Ranunculaceae) caroliniensis var. occidentalis  TRIENTALIS (Primulaceae) arctica altifolia  TRIENTALIS (Primulaceae) Cyathiferum depauperatum dubium gracilentum sincarnatum incarnatum longipes var. multiovulatum macraei var. albopurpureum microcephalum microcephalum microcephalum pratense procumbens procumbens pratense procumbens pratense procumbens proc	Species	Common Name	Range	Habitat
TRAGOPOGON (Compositae) miscellus porrifolius porrifolius pratensis  TRAUTVETTERIA (Ranunculaceae) caroliniensis var. occidentalis  TRIENTALIS (Primulaceae)	TOLMIEA (Saxifragaceae)	YOUTH-ON-AGE		
miscellus porrifolius Salsify adventive adventive provinces Salsify adventive salsify adventive provinces Salsify adventive adventive provinces Salsify adventive provinces Salsify adventive adventive provinces Salsify adventive provinces Salsify adventive adventive adventive provinces Salsify adventive provin	menziesii		L-m,gen	MOIST
miscellus porrifolius Salsify adventive adventive provinces Salsify adventive salsify adventive provinces Salsify adventive adventive provinces Salsify adventive provinces Salsify adventive adventive provinces Salsify adventive provinces Salsify adventive adventive adventive provinces Salsify adventive provin	TRAGOPOGON (Compositae)	SALSIFY, GOAT'S BEARD		
TRAUTVETTERIA (Ranunculaceae) caroliniensis var. occidentalis  TRIENTALIS (Primulaceae) arctica latifolia  TRIENTALIS (Primulaceae) arctica latifolia  TRIFOLIUM (Leguminosae)  cyathiferum depauperatum dubium Least hop c. gracilentum hybridum incarnatum longipes var. multiovulatum macraei var. albopurpureum microcephalum microcephalum microcephalum substraneae procumbens procumbens procumbens procumbens repens subterraneum tridentatum var. concinnum wormskjoldii  TRIGOLUM (Leguminosae) CLOVER, TREFOIL Cup c. adventive TBE adventive TBE Long-stalked c. L-M,ne-e Adventive L-M,ne-e Adventive L,sw; M-S,n-c L,sw; M-S,n-c L,sw; M-S,n-c L,ne-e L,sw,n-ne L,n-e Adventive L,n-e Adventive adventive adventive L,n-e Adventive L,n-e,sw-w TBE  TRIGLOCHIN (Juncaginaceae) concinnum wormskjoldii Springbank c. L,sw-se  TRILLIUM Ciliaceae) TRILLIUM Giant t. TBE	miscellus	Hybrid g.	adventive	
TRAUTVETTERIA (Ranunculaceae) caroliniensis var. occidentalis  TRIENTALIS (Primulaceae) arctica arctica latifolia  TRIFOLIUM (Leguminosae) CLOVER, TREFOIL cyathiferum depauperatum dubium logracilentum hybridum loincarnatum loingipes Long-stalked c. var. multiovulatum macraei Macrae's c. var. albopurpureum microcohalum microdon oliganthum pratense procumbens repens subterraneum tridentatum var. concinnum moracie  LTRIFOLIUM (Liliaceae) TRILLIUM CLOVER, TREFOIL Cup c. adventive Cup c. adventive Tube Least hop c. adventive adventive Least hop c. Lysw; M-S,n-c L,sw; M-S,n-c L,ne L,sw; M-S,n-c L,ne L,sw,n-ne L,sw,n-ne adventive adventive adventive Lysw,n-ne Lysw-se Lysw-se Lysw-se Lysw-se Lysw-se Lysw-se Lysw-se Lysw-se Lysw-n-ne Lysw-se Lysw-se Lysw-se Lysw-se Lysw-n-ne Lysw-se Lysw-se Lysw-n-ne Lysw-se Lysw-n-ne Lysw-se Lysw-	porrifolius	Salsify	advent i ve	
Caroliniensis var. occidentalis  TRIENTALIS (Primulaceae)     arctica	pratensis	Meadow s.	TBE	
TRIENTALIS (Primulaceae)  arctica arctica latifolia  TRIFOLIUM (Leguminosae)  CLOVER, TREFOIL  cyathiferum depauperatum depauperatum dubium gracilentum hybridum longipes longipes var. multiovulatum macraei var. albopurpureum microcephalum microcephalum pratense procumbens repens subterraneum subterraneum subterraneum subterraneum subterraneum subterraneum subterraneum subterraneum sura. concinnum worr. concinnum maritimum Seaside a.  TRILLIUM Cliliaceae) TRILLIUM Chloropetalum STARFLOWER STARCOWER STARFLOWER STARCOWER STARCO	· ·	FALSE BUGBANE		
arctica latifolia Broad-leaved s. L,sw-n bog  TRIFOLIUM (Leguminosae) CLOVER, TREFOIL Cyathiferum Cup c. TBE deputeratum Poverty c. TBE dubium Slender c. L-M,ne-e hybridum Alsike c. adventive incarnatum Crimson c. TBE Long-stalked c. var. multiovulatum microcephalum Small-head c. L,sw; M-S,n-c Macraei Var. albopurpureum microcephalum Few-flowered c. L,n-ne pratense Red c. adventive adventive adventive procumbens Pouch c. adventive adventive c. L,n-ne adventive c. L,n-ne adventive adventive adventive c. L,n-ne adventive adventive c. L,n-ne adventive c. L,n-ne,sw-w wariegatum White-tip c. TBE concinnum variegatum White-tip c. TBE concinnum c. L,sw-se Cncinnum aritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM Ciantic Clore adventium Seaside a. L,sw-se (near the sea)			L-S,s-n-c	moist
arctica latifolia Broad-leaved s. L,sw-n bog  TRIFOLIUM (Leguminosae) CLOVER, TREFOIL Cyathiferum Cup c. TBE deputeratum Poverty c. TBE dubium Slender c. L-M,ne-e hybridum Alsike c. adventive incarnatum Crimson c. TBE Long-stalked c. var. multiovulatum microcephalum Small-head c. L,sw; M-S,n-c Macraei Var. albopurpureum microcephalum Few-flowered c. L,n-ne pratense Red c. adventive adventive adventive procumbens Pouch c. adventive adventive c. L,n-ne adventive c. L,n-ne adventive adventive adventive c. L,n-ne adventive adventive c. L,n-ne adventive c. L,n-ne,sw-w wariegatum White-tip c. TBE concinnum variegatum White-tip c. TBE concinnum c. L,sw-se Cncinnum aritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM Ciantic Clore adventium Seaside a. L,sw-se (near the sea)	TRIENTALIS (Primulaceae)	STARFLOWER		
TRIFOLIUM (Leguminosae)  CLOVER, TREFOIL  cyathiferum	· · · · · · · · · · · · · · · · · · ·		L.sw-n	bog
cyathiferum depauperatum Poverty c. dubium Gracilentum Gracilentum Slender c. hybridum Alsike c. long-stalked c. var. multiovulatum macraei Macrae's c. var. albopurpureum microcephalum Few-flowered c. procumbens Preventor Poverty c. Table L-M,ne-e Adventive TBE Long-stalked c. L,sw; M-S,n-c L,ne (reported) L,n-e L,ne (reported) L,n-e L,n-e L,n-e Adventive Tomcat c. L,n-e,sw-w Variegatum White-tip c. TBE TRIGLOCHIN (Juncaginaceae) Concinnum Var. concinnum Maritimum Seaside a.  TRILLIUM Chloropetalum Giant t. TBE				3
cyathiferum depauperatum Poverty c. dubium Gracilentum Gracilentum Slender c. hybridum Alsike c. long-stalked c. var. multiovulatum macraei Macrae's c. var. albopurpureum microcephalum Few-flowered c. procumbens Preventor Poverty c. Table L-M,ne-e Adventive TBE Long-stalked c. L,sw; M-S,n-c L,ne (reported) L,n-e L,ne (reported) L,n-e L,n-e L,n-e Adventive Tomcat c. L,n-e,sw-w Variegatum White-tip c. TBE TRIGLOCHIN (Juncaginaceae) Concinnum Var. concinnum Maritimum Seaside a.  TRILLIUM Chloropetalum Giant t. TBE	TRIFOLIUM (Leguminosae)	CLOVER. TREFOIL		
depauperatum dubium Least hop c. adventive gracilentum hybridum Alsike c. adventive incarnatum Crimson c. TBE longipes Long-stalked c.  var. multiovulatum macraei Macrae's c.  var. albopurpureum microcephalum			adventive	
dubium     Least hop c.     adventive       gracilentum     Slender c.     L-M,ne-e       hybridum     Alsike c.     adventive       incarnatum     Crimson c.     TBE       longipes     Long-stalked c.        var. multiovulatum     Macrae's c.     L,ne (reported)       macraei     Macrae's c.     L,ne (reported)       var. albopurpureum     Small-head c.     L,ne (reported)       microcephalum     Small-head c.     L,ne       microdon     Thimble c.     L,sw,n-ne       oliganthum     Few-flowered c.     L,n-ne       pracense     Red c.     adventive       procumbens     Hop c.     adventive       repens     Dutch c.     adventive       subterraneum     Subterranian c.     adventive       tridentatum     Tomcat c.     L,n-e,sw-w       variegatum     White-tip c.     TBE       wormskjoldii     Springbank c.     L,sw-se       TRIGLOCHIN (Juncaginaceae)     ARROWGRASS       concinnum     L,sw,n-ne     shore       var. concinnum     L,sw,n-ne     L,sw,n-ne       maritimum     Seaside a.     L,sw,se       TRILLIUM (Liliaceae)     TRILLIUM       chloropetalum     Giant t.     TBE				
hybridum incarnatum Crimson c. longipes Var. multiovulatum macraei Var. albopurpureum microcephalum Microdon Oliganthum Few-flowered c. Procumbens Procumbens Subterraneum Subterranian c. Subterranian c. Variegatum Wormskjoldii  TRISLOCHIN (Juncaginaceae) Crimson c. TabE  L,sw; M-S,n-c  L,sw; M-S,n-c  L,ne (reported) L,sw,n-ne adventive adventive adventive adventive subterraneum Tomcat c. L,n-e,sw-w TBE L,sw-se  TRIGLOCHIN (Juncaginaceae) Var. concinnum Var. concinnum Var. concinnum Seaside a.  TRILLIUM Chloropetalum Giant t.  TBE			adventive	
incarnatum   Crimson c.   TBE   longipes   Long-stalked c.     var. multiovulatum   Macrae's c.     var. albopurpureum   Small-head c.   L,ne (reported)     microcephalum   Few-flowered c.   L,ne     pratense   Red c.   adventive     procumbens   Hop c.   adventive     subterraneum   Subterranian c.   adventive     subterraneum   Subterranian c.   adventive     variegatum   White-tip c.   TBE     wormskjoldii   Springbank c.   L,sw-se    TRIGLOCHIN (Juncaginaceae)   ARROWGRASS     concinnum   var. concinnum   Craceful a.     var. concinnum   Seaside a.   L,sw-se   (near the sea)    TRILLIUM (Liliaceae)   TRILLIUM     chloropetalum   Giant t.   TBE	gracilentum	Slender c.	L-M,ne-e	
longipes	hybridum	Alsike c.	adventive	
var. multiovulatum macraei	incarnatum	Crimson c.	TBE	
macraei var. albopurpureum microcephalum microdon oliganthum pratense procumbens repens Dutch subterraneum tridentatum variegatum wormskjoldii  TRIGLOCHIN (Juncaginaceae) concinnum maritimum  TRILLIUM TRILLIUM Chloropetalum  Macrae's c. L,ne (reported) L,ne L,ne (reported) L,ne L,ne (reported) L,ne L,sw,n-ne Adventive adventive adventive adventive adventive adventive Tomcat c. L,n-e,sw-w TRE L,sw-se  ARROWGRASS Concinnum Var. concinnum Seaside a. L,sw,n-ne L,sw,n-ne Shore (near the sea)  TRILLIUM Cililaceae) TRILLIUM Giant t. TBE	longipes	Long-stalked c.		
var. albopurpureum microcephalum Small-head c. Thimble c. L,n-e microdon Oliganthum Few-flowered c. pratense Red c. procumbens Hop c. adventive subterraneum Subterranian c. tridentatum variegatum wormskjoldii  TRIGLOCHIN (Juncaginaceae) var. concinnum maritimum  TRIGLUM (Liliaceae) TRILLIUM Chloropetalum  Var. albopurpureum Small-head c. L,n-e L,n-e L,n-e Adventive adventive adventive adventive adventive tridentatum Tomcat c. L,n-e Adventive adventive Tomcat c. L,n-e TBE L,n-e TRIGLOCHIN (Juncaginaceae) ARROWGRASS Concinnum Var. concinnum Seaside a.  TRILLIUM Chloropetalum Giant t.  TBE	var. multiovulatum		L,sw; M-S,n-c	
microcephalum Small-head c. L,n-e microdon Thimble c. L,sw,n-ne oliganthum Few-flowered c. L,n-ne pratense Red c. adventive procumbens Hop c. adventive subterraneum Subterranian c. adventive tridentatum Tomcat c. L,n-e,sw-w variegatum White-tip c. TBE wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum Graceful a. var. concinnum Seaside a. L,sw,n-ne shore maritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE	macraei	Macrae's c.		
microdon oliganthum Few-flowered c. L,n-ne pratense Red c. adventive procumbens Poption Poptio				
oliganthum Few-flowered c. L,n-ne pratense Red c. adventive procumbens Hop c. adventive adventive subterraneum Subterranian c. adventive tridentatum Tomcat c. L,n-e,sw-w variegatum White-tip c. TBE wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum var. concinnum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE	·		•	
pratense Red c. adventive procumbens Hop c. adventive subterraneum Subterranian c. adventive tridentatum Tomcat c. L,n-e,sw-w variegatum White-tip c. TBE wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum Graceful a. var. concinnum Seaside a. L,sw,n-ne shore maritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE				
procumbens				
repens Dutch c. adventive subterraneum Subterranian c. adventive tridentatum Tomcat c. L,n-e,sw-w variegatum White-tip c. TBE wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum Var. concinnum Seaside a. L,sw,n-ne Shore maritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE	·			
subterraneum subterranian c. adventive tridentatum Tomcat c. L,n-e,sw-w variegatum wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) concinnum var. concinnum maritimum Seaside a. L,sw,n-ne shore L,sw,n-ne L,sw,n-ne shore (near the sea)  TRILLIUM chloropetalum Giant t. TBE	·			
tridentatum Tomcat c. L,n-e,sw-w variegatum White-tip c. TBE wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum Graceful a. var. concinnum L,sw,n-ne shore maritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE				
variegatum White-tip c. TBE wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum Graceful a. var. concinnum maritimum Seaside a. L,sw,n-ne shore L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE				
wormskjoldii Springbank c. L,sw-se  TRIGLOCHIN (Juncaginaceae) ARROWGRASS concinnum Var. concinnum Seaside a. L,sw,n-ne shore L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE				
TRIGLOCHIN (Juncaginaceae)  concinnum var. concinnum maritimum  Seaside a.  TRILLIUM (Liliaceae) chloropetalum  ARROWGRASS Graceful a. L,sw,n-ne L,sw,n-ne (near the sea)  TRILLIUM TBE				
concinnum Graceful a.  var. concinnum L,sw,n-ne shore maritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE	WOTHISKJOTUTT	Spi Mgbank C:	2,511 50	
var. concinnum maritimum Seaside a.  TRILLIUM (Liliaceae) chloropetalum Giant t.  TBE				
maritimum Seaside a. L,sw-se (near the sea)  TRILLIUM (Liliaceae) TRILLIUM Giant t. TBE		Graceful a.		
TRILLIUM (Liliaceae) TRILLIUM chloropetalum Giant t. TBE				The second secon
chloropetalum Giant t. TBE	maritimum	Seaside a.	L,sw-se	(near the sea)
arant tr	TRILLIUM (Liliaceae)	TRILLIUM		
ovatum White t. L-M,gen forest	chloropetalum			
	ovatum	White t.	L-M,gen	forest

Species	Common Name	Range	Habitat
TRIODANIS (Campanulaceae) perfoliata	TRIODANIS Perfoliate t.	L,ne	
TRISETUM (Gramineae) canescens cernuum spicatum	TRISETUM Tall t. Nodding t. Spike t.	L-M,n-s L,sw-ne S-A,gen	moist
TROLLIUS (Ranunculaceae) laxus var. albiflorus	GLOBEFLOWER American g.	S,n-ne-c	moist
TSUGA (Pinaceae) heterophylla mertensiana TYPHA (Typhaceae)	HEMLOCK Western h. Mountain h. CAT-TAIL	L-S,gen M-S,gen	
latifolia  ULEX (Leguminosae) europaeus	Common c.	L,gen adventive	wet
URTICA (Urticaceae) dioica ssp. gracilis var. lyallii	NETTLE Stinging n.	L-S,gen	
UTRICULARIA (Lentibulariaceae) * intermedia vulgaris	BLADDERWORT Flat-leaved b. Common b.	L,nw L,nw	water water
VACCARIA (Caryophyllaceae) segetalis	VACCARIA Cowcockle	TBE	
VACCINIUM (Ericaceae) alaskaense caespitosum deliciosum macrocarpon membranaceum	HUCKLEBERRY, CRANBERRY Alaska h. Dwarf h. Blue-leaf h. Cultivated c. Thin-leaved h.	L-S,gen L,se-sw; S-A,n-ne M-A,gen adventive M-S,gen	forest
memoranaceum ovalifolium ovatum oxycoccos parvifolium uliginosum	Oval-leaf h. Evergreen h. Wild c. Red h. Bog h.	L-S,gen L,gen L,gen L-M,gen L,nw,e	forest forest bog forest bog

Species	Common Name	Range	Habitat
VALERIANA (Valerianaceae)	VALERIAN		
scouleri	Scouler's v.	L-S,gen	moist
sitchensis	Sitka v.	L,e,nw; M-S,gen	moist
VALERIANELLA (Valerianaceae) locusta	VALERIANELLA Lamb's lettuce	adventive	
VANCOUVERIA (Berberidaceae) hexandra	INSIDE-OUT FLOWER	L,s	
VERATRUM (Liliaceae) californicum	FALSE HELLEBORE California f.		
var. caudatum		L,s	moist
viride	Green f. *	M-S,gen	moist
VERBASCUM (Scrophulariaceae)	MULLEIN		
blattaria	Moth m.	adventive	
thapsus	Common m.	adventive	
VERONICA (Scrophulariaceae)	SPEEDWELL		
americana	American brooklime	L-M, gen	wet
arvensis	Common s.	adventive	
cusickii	Cusick's s.	S-A,gen	moist
officinalis	Paul's betony	adventive	
peregrina	Purslane s.	l === ===	moist
var. xalapensis persica	Persian s.	L,n-e,sw adventive	IIIOTSL
scutellata	Marsh s.	L,gen	wet
serpyllifolia	Thyme-leaved s.	-,3	
var. humifusa	·	L-M,gen	
var. serpyllifolia		adventive	
wormskjoldii	American alpine s.	S-A,gen	moist
VIBURNUM (Caprifoliaceae)	VIBURNUM		
edule	High-bush cranberry	L,sw-nw; M,n-ne	moist
VICIA (Leguminosae)	VETCH		
americana	American v.		
var. truncata		L-S,gen	
var. villosa	Tufted v.	L,n-ne adventive	
cracca disperma	Two-seeded v.	adventive	
gigantea	Giant v.	L,gen	
hirsuta	Hairy v.	adventive	
lathyroides	Spring v.	adventive	
pannonica	Hungarian v.	adventive	
(continued)			

Species	Common Name	Range	Habita
VICIA (Leguminosae) (continued)			
sativa	Common v.		
var. angustifolia	Common VV	adventive	
var. sativa		adventive	
tetrasperma	Slender v.	adventive	
villosa	Woolly v.	adventive	
VINCA (Apocynaceae)	PERIWINKLE		
major		adventive	
VIOLA (Violaceae)	VIOLET		
adunca	Hook v.		
<pre>* var. adunca</pre>		L-A,n-sw-c	
var. cascadensis		L-S,n-sw-c	
arvensis	Wild pansy	adventive	
flettii (ENDEMIC)	Flett's v.	S-A,n-e-c	rocky
glabella	Pioneer v.	L-S,gen	moist
howellii	Howell's v.	L-M,n-se,w	
langsdorfii	Aleutian v.	L,sw	wet
macloskeyi	Small white v.		
var. macloskeyi		L,se-sw	wet
nuttallii	Upland yellow v.		
var. praemorsa		TBE	
orbiculata	Round-leaved v.	M-S,gen	forest
palustris	Marsh v.	L-S,gen	wet
sempervirens	Evergreen v.	L-M,gen	forest
WHIPPLEA (Hydrangeaceae)	WHIPPLEVINE		
modesta		L,n,s	dry
WOLFFIA (Lemnaceae)	WATER-MEAL		
punctata	Dotted w.	TBE	
· ·	botted iii		
WOODSIA (Polypodiaceae)	WOODSIA		
scopulina	Rocky Mt. w.	S,n-ne	rocky
WOODWARDIA (Polypodiaceae)	CHAIN-FERN		
fimbriata		L,e-se	wet
XEROPHYLLUM (Liliaceae)	BEARGRASS		
tenax	Indian basket-grass	L,e-w; M-S,e-n	
ZIGADENUS (Liliaceae)	DEATH-CAMAS, ZIGADENUS		
elegans	Mountain d.	S-A,ne-e	dry
venenosus	Deadly z.		
var. venenosus		L-M,n-sw	dry

Species	Common Name	Range	Habitat
ZIZANIA (Gramineae) aquatica	WILD-RICE	adventive	
ZOSTERA (Zosteraceae) marina nana	EEL GRASS Eelgrass Dwarf e.	L,sw-se adventive	shore shore

## NOTES

Vouchers are cited for collections which represent significant range extensions or are otherwise noteworthy. Citations prior to 1966 include species identified by the authors through research and rekeying, or, in some cases, discoveries which seem to have received little prior notice.

For persons desiring access to these specimens, the vouchers cited are located in the following herbaria as designated:

- (GHC) Grays Harbor College, Aberdeen, WA 98520 (NMB) - Nelsa M. Buckingham, Port Angeles, WA 9836
- (NMB) Nelsa M. Buckingham, Port Angeles, WA 98362 (ONP) - Olympic National Park, Port Angeles, WA 98362
- (PLU) Pacific Lutheran University, Tacoma, WA 98447
- (PC) Peninsula College, Port Angeles, WA 98362
- (UPS) University of Puget Sound, Tacoma, WA 98416
- (WTU) University of Washington, Dept. of Botany, Seattle, WA 98195
- Agropyron caninum ssp. majus var. andinum--J. W. Thompson 5515, Mt.
  Angeles, Aug. 2, 1930 (WTU); John Hinchliff, Hurricane Hill 5,000',
  Aug. 7, 1978 (ONP) and (NMB).
- Agropyron caninum ssp. majus var. latiglume--E. L. Tisch 1176, Mt.
  Townsend, Aug. 4, 1968 (PC); M. F. Denton 3375, Deer Park, July 19,
  1973 (WTU); N. M. Buckingham 01706, Deer Ridge 5,500', July 16,
  1978 (NMB).
- Agrostis idahoensis--E. L. Tisch 2238, Devil's Lake, Mt. Walker, July 9,
- Alchemilla occidentalis--N. M. Buckingham 0908, Salt Creek, April 3, 1978 (NMB).
- Alnus incana (var. occidentalis?)--E. L. Tisch 2078 and 2170 A-B, Johns Cr., Mason Co., June 30, 1975, and May 8, 1976 (PC); N. M. Buckingham 01531, Johns Cr., Mason Co., Sept. 14, 1977 (NMB).
- Amsinckia intermedia--L. W. Messmer, Grays Harbor Co., sighted; N. M. Buckingham 01570, Port Angeles, April 23, 1978 (NMB) and (ONP).
- Anemone deltoidea--G. D. Alcorn 332, Mr. Ellinor, Aug. 2, 1968 (UPS).
- Antennaria umbrinella--J. W. Thompson 7406, Mt. Angeles, 1931 (WTU);
  L. C. Bliss, Elk Mt. 6,400', June 29, 1965 (ONP); N. M. Buckingham 01460, Elk Mt., Aug. 13, 1977 (NMB).

- Arabis furcata var. olympica--J. B. Flett, Humes Glacier, Mt. Olympus, Aug. 12, 1907 (type); E. B. Webster, Mt. Olympus, Aug. 1907 (PC); E. L. Tisch 2360, Mt. Clark, Aug. 4, 1976 (PC); N. M. Buckingham 01312, Mt. Zion, July 22, 1977 (det. by C. L. Hitchcock) (WTU) and (NMB), also 01654, Blue Mt. 3,500', June 22, 1978 (NMB). As indicated in C. L. Hitchcock et al., Vascular Plants of the Pacific Northwest, Part 2, p. 446, this variety has therefore been reinstated. The plant is endemic to the Olympic Peninsula.
- Arabis holboellii var. retrofracta--F. L. Dickinson 242, Dose Meadows, 1936 (ONP); N. M. Buckingham 01311, Mt. Zion, July 22, 1977 (NMB).
- Arnica cordifolia var. pumila--J. Broadbent 1518, Sentinel Peak, 1936 (ONP); M. P. Harthill 392 and 928, Mt. Angeles, undated and 1936 (ONP); and others (PC) and (NMB).
- Artemisia stelleriana--H. St. John 5867, Washington Harbor, 1921--cited in G. N. Jones, A Botanical Survey of the Olympic Peninsula, as the first report for Western North America; N. M. Buckingham 0977, Indian Island, May 24, 1977 (NMB).
- Aster radulinus--E. L. Tisch 2241, Mt. Townsend, Oct. 10, 1976 (PC) and (NMB).
- Astragalus microcystis--J. W. Thompson 7997, Marmot Pass, Aug. 13, 1931 (WTU); E. L. Tisch 2294, Mt. Tyler, July 23, 1976 (PC); N. M. Buckingham 0579, Mt. Tyler, July 25, 1976 (NMB). Mt. Tyler specimens have been verified by R. C. Barneby, New York Botanical Garden.
- Astragalus cottonii -- A new population of this endemic plant has been found which deviates from the population on Mt. Angeles. N. M.

  Buckingham 01651 and 01673, Northern Olympics, 5,700', June 23 and July 14, 1978 (NMB). These specimens have been referred to S. L. Welsh, Brigham Young University.
- Betula glandulosa var. hallii--N. M. Buckingham 0930 and 0942, Port Angeles, April 26 and 29, 1977 (NMB) and (ONP). This plant, rumored to be present on the Peninsula, has thus far only been found in the wild area of a city park.
- Bromus vulgaris var. eximius--G. N. Jones 4004, Elwha Riv. (WTU).
- <u>Campanula piperi--is</u> found with white flowers (forma sovereigniana) very locally in the Subalpine north.
- Cardamine bellidifolia var. bellidifolia--P. Freer 436, Mt. Ellinor, 1951 (WTU).
- <u>Cardamine</u> <u>integrifolia var.</u> <u>sinuata</u>--E. L. Tisch 2481, Elwha drainage, June 15, 1978 (PC).

- Carex aquatilis--E. L. Tisch 2098, Mason Lake, July 3, 1975 (det. by C. L. Hitchcock) (PC); N. M. Buckingham 01404, Pat's Prairie, July 28, 1977 (NMB); others (NMB) and (ONP).
- Carex disperma--E. L. Tisch 1473 and 1475, Pat's Prairie, Aug. 14, 1969 (PC); N. M. Buckingham 0692, Royal Basin, Aug. 2, 1976 (NMB).
- Carex interior--N. M. Buckingham 01065, Melbourne Lake, June 23, 1977 and 01387, Slab Camp, July 20, 1977 (NMB) and (ONP).
- Carex subnigricans--E. L. Tisch 2339 and N. M. Buckingham 0588, Mt.
  Tyler, July 25, 1976 (PC) and (NMB); N. M. Buckingham 01707 and
  01709, Deer Ridge 5,500', July 16, 1978 (NMB) and (ONP).
- Cornus x unalaschkensis--(hybrid of C. canadensis and C. suecica)
  apparently present. E. L. Tisch 2204 and 2233, Devil's Lake, Mt.
  Walker, June 19 and July 9, 1976 (PC); N. M. Buckingham 0322,
  Ahlstrom's Prairie, Lake Ozette, July 10, 1976 (NNB).
- Dodecatheon dentatum--Fred Leissler 1953 and 1954, Boulder Creek, Elwha drainage, July 14, 1941 (ONP).
- Draba fladnizensis--J. W. Thompson 11027, Marmot Pass (WTU).
- <u>Draba lanceolata</u>--E. L. Tisch 2299, Mt. Tyler, July 23, 1976 (PC); N. M. Buckingham 0615, Mt. Tyler, July 25, 1976 (NMB).
- Dryopteris filix-mas--J. B. Flett 3089, Mt. Olympus 6,000', Aug. 1907
- Eriophorum polystachion--Winona Bailey, Three lakes, Aug. 21, 1913 (PLU).
- Eriophyllum lanatum var. achillaeoides--E. L. Tisch 2253, Eldon, July 12, 1976 (PC); N. M. Buckingham 0631, Three O'clock Ridge, Dungeness drainage, July 25, 1976 (NMB); various others (ONP). Not uncommon.
- Hierochloe odorata--N. M. Buckingham 0697, Royal Basin 4,600', Aug. 3, 1976 (NMB); also 01634 and 01699, Deer Park 5,400', June 21 and July 16, 1978 (NMB) and (ONP).
- Juncus orthophyllus--J. W. Thompson 14203, Olympic Mts., fide Hitchcock;

  N. M. Buckingham 01681, Deer Park 5,350', July 14, 1978 (NMB), both doubtfully referred here.
- <u>Juncus supinus--N. M. Buckingham 01792, Mora, Nov. 6, 1978 (NMB),</u> tentatively assigned here--requires further study.
- Kalmia microphylla--E. L. Tisch 2400, Goat Lake, Dungeness drainage, Aug. 7, 1976 (PC) and (NMB).

- Kelloggia galioides--E. L. Tisch 2145, Boulder Shelter, Dungeness drainage, Aug. 6, 1975 (PC).
- <u>Lithophragma bulbifera--M. P. Harthill 521, Hurricane Hill, April 21, 1934 (ONP).</u>
- Lycopodium complanatum--E. L. Tisch 1489, Pat's Prairie, Aug. 30, 1969 (PC); N. M. Buckingham 0688, Royal Basin, Aug. 2, 1976 (NMB), both discoveries by H. W. Buckingham.
- Mimulus primuloides--Leslie Muller, Mt. Ellinor, 1934 (WTU); Fred Leissler, Heather Basin, Mt. Angeles, Aug. 10, 1941 (ONP).
- Montia chamissoi--N. M. Buckingham 01700, Deer Park 5,350', July 16, 1978 (NMB) and (ONP).
- Orobanche pinorum--E. L. Tisch 2464, Griff Cr., Elwha drainage, July 17, 1977 (PC).
- Oxalis suksdorfii--N. M. Buckingham 01215, Neah Bay, June 31, 1977 (NMB).
- Oxytropis viscida--Plants referred to S. L. Welsh, Brigham Young University at his request. Our plants are both deviant and disjunct.
- Phlox hendersonii--Olympic plants are somewhat deviant.
- Poa grayana--C. L. Hitchcock 23028, Mt. Angeles (WTU); E. L. Tisch 1211, Mt. Townsend, Aug. 4, 1968 (PC).
- Poa interior--N. M. Buckingham 01601, Sequim area 400', May 22, 1978 (NMB) and (ONP).
- Poa juncifolia--N. M. Buckingham 0234, Dungeness salt marsh, June 28, 1976 (NMB).
- Polygonum viviparum--E. L. Tisch 1210, Mt. Townsend, Aug. 4, 1968, and 2349, Goat Lake, Aug. 7, 1976 (PC); N. M. Buckingham 0675, Royal Basin, Aug. 2, 1976 (NMB).
- Populus tremuloides--Olympic plants are typically lowland. There is a unique stand of dwarf trees at 6,000' (1,800 meters) on Elk Mt.--Eric Burr and Ingrid Olmsted, Sept. 1, 1975 (ONP).
- $\frac{\text{Pyrola aphylla--Olympic specimens are usually referable to } \underline{P.} \text{ } \underbrace{\text{asarifolia}}, \\ \underline{P.} \text{ } \underbrace{\text{chlorantha}}, \text{ } \text{ } \text{or } \underline{P.} \text{ } \text{ } \text{ } \underline{\text{picta}}.$
- Pyrola minor--E. L. Tisch 1506, Cox's Valley, Morse Cr. drainage, Sept. 3, 1969 (PC); N. M. Buckingham 0669 and 0832, Royal Basin, Aug. 3 and 9, 1976 (NMB) and (ONP).

- Ranunculus glaberrimus var. ellipticus--W. C. Brown, Hurricane Ridge,
  June 22, 1942 (ONP); E. L. Tisch 2341, Mt. Tyler, July 25, 1976
  (PC); N. M. Buckingham 01641, Deer Ridge 5,500', June 21, 1978, and
  01652, Blue Mt. 5,800' June 22, 1978 (NMB).
- Ranunculus orthorhynchus var. platyphyllus--M. P. Harthill, Port Angeles, April 25, 1934 (ONP); C. L. Hitchcock 19869, Hoquiam Riv., 1963 (WTU).
- Ribes triste--E. L. Tisch 2222 A-B, Pat's Prairie, July 3, 1976, and 2414 B, Royal Basin, Aug. 10, 1976 (PC); N. M. Buckingham 0825, Royal Basin, Aug. 8, 1976 (NMB).
- Sanguisorba sitchensis--Lilla Leach 2172, Promise Cr., 1928 (WTU); N. M. Buckingham 01432 and 01434 (the latter is apparently intermediate between S. sitchensis and S. menziesii), Mink Lake, Aug. 8, 1977 (NMB) and  $\overline{(\text{ONP})}$ .
- Saxifraga debilis--J. W. Thompson 1104½, Mt. Constance, 1934 (WTU); M. P. Harthill 1039, Mt. Angeles, Aug. 2, 1936 (ONP).
- $\frac{Saxifraga}{May} \, \frac{\text{ferruginea var.}}{24, \, 1941 \, \text{(GHC)}} \, \frac{\text{ferruginea--G. D. Alcorn 277, Mt. Colonel Bob,}}{\text{Most of the properties of the pr$
- Scirpus americanus--N. M. Buckingham 01131, north shore Grays Harbor, June 26, 1977 (NMB).
- Scirpus cyperinus--N. M. Buckingham 01354, Melbourne Lake, July 25, 1977 (NMB).
- Sedum lanceolatum var. rupicolum--E. L. Tisch 2354 A-B, Mts. Baldy and Tyler, July 23 and 25, 1976 (PC).
- Shepherdia canadensis--Olympic plants are typically lowland. A small population occurs on a ridge above Charlia Lakes, discovered by S. A. Anderson, Oct., 1933, and reported in G. N. Jones. These plants were observed by the authors in Aug., 1975.
- $\underline{\underline{\sf Sitanion}}\ \underline{\sf hystrix}\text{--Many Olympic plants are hybrids, apparently with } \underline{\textstyle \sf Elymus\ glaucus.}$
- Sparganium minimum--N. M. Buckingham 01320, pond near Melbourne Lake, July 23, 1977 (NMB) and (ONP).
- Spiraea betulifolia var. lucida--E. L. Tisch 1545, Mt. Walker 850', Oct.
  4, 1969 (PC); N. M. Buckingham 01059 and 01316, Mt. Walker 2,700',
  June 22 and July 23, 1977 (NMB).
- Spiraea densiflora var. splendens--This variety approached by some plants from the northeastern Olympics. N. M. Buckingham 0829, Royal Basin, Aug. 9, 1976 (NMB).

- $\frac{\text{Thysanocarpus}}{\text{May}} \; \frac{\text{curvipes--E. L. Tisch 2186, Griff Cr., Elwha drainage,}}{\text{1976 (PC)}} \; \text{and (NMB)}.$
- Tiarella trifoliata var. laciniata--E. L. Tisch 1761, Cox's Valley,
  Morse Cr. drainage, Aug. 14, 1970 (PC). Several other observations
  and collections made in the eastern Olympics, where it is associated
  with var. trifoliata (PC) and (NMB).
- <u>Utricularia</u> intermedia--N. M. Buckingham 01173, Ozette, June 27, 1977 (NMB).
- $\underline{\text{Viola adunca--Some Olympic plants approach }\underline{\text{var. bellidifolia}},}$  and others var. uncinulata.

## LIST OF THE FAMILIES

(and their Genera)

Aceraceae Acer Alismataceae

Sagittaria

Amaranthaceae Amaranthus (TBE)

Anacardiaceae Rhus

Apocynaceae Apocynum Vinca

Aquifoliaceae Ilex

Araceae Lysichitum

Araliaceae Hedera Oplopanax

Aristolochiaceae Asarum

Balsaminaceae Impatiens

Berberidaceae Achlys Berberis Vancouveria

Betulacaceae Alnus Betula Corylus

Boraginaceae Amsinckia Cryptantha Boraginaceae Lithospermum Mertensia Myosotis Plagiobothrys Symphytum

Cactaceae Opuntia

Callitrichaceae Callitriche

Campanulaceae Campanula Downingia Githopsis (TBE) Lobelia Triodanis

Caprifoliaceae Linnaea Lonicera Sambucus Symphoricarpos Viburnum

Caryophyllaceae
Arenaria
Cardionema
Cerastium
Dianthus
Honkenya
Lychnis
Sagina
Silene
Spergula
Spergularia
Stellaria
Vaccaria (TBE)

Celastraceae Pachistima

Ceratophyllaceae Ceratophyllum Chenopodiaceae Atriplex Chenopodium Salicornia Suaeda

Compositae
Achillea
Adenocaulon
Agoseris
Ambrosia
Anaphalis
Antennaria
Anthemis
Apargidium
Arctium
Arnica
Artemisia

Aster Balsamorhiza (TBE) Bellis Bidens

Bidens
Calendula
Centaurea
Chrysanthemum
Chrysopsis
Cichorium
Cirsium
Conyza
Cotula
Crepis
Crocidium (TBE)

Erigeron
Eriophyllum
Galinsoga
Gnaphalium
Grindelia
Haplopappus
Helenium
Hieracium

Hypochaeris Jaumea Lactuca Lapsana Lasthenia Leontodon

Compositae Cucurbitaceae Ericaceae Luina Marah Monotropa Madia Phyllodoce Matricaria Cupressaceae Pleuricospora Microseris Chamaecyparis Pterospora Petasites Juniperus Pyrola Prenanthes Thuja Rhododendron Saussurea Vaccinium Senecio Cuscutaceae Solidago Cuscuta Euphorbiaceae Sonchus Euphorbia Tanacetum Cyperaceae Taraxacum Carex Fagaceae Tragopogon Dulichium Chrysolepis Eleocharis Ouercus. Convolvulaceae Eriophorum Convolvulus Rhynchospora Fumariaceae Scirpus Corydalis Cornaceae Dicentra Cornus Dipsacaceae Dipsacus Gentianaceae Crassulaceae Centaurium Sedum Droseraceae Gentiana Drosera Cruciferae Geraniaceae Arabidopsis Elaeagnaceae Erodium Arabis Sheperdia Geranium Athysanus Barbarea Elatinaceae Gramineae Brassica Elatine Agropyron Cakile Agrostis Capsella. Empetraceae Aira Cardamine Empetrum Alopecurus Cardaria Ammophila Cochlearia Equisetaceae Anthoxanthum Coronopus Equisetum Arrhenatherum Draba Avena Erysimum Ericaceae Bromus Hesperis Allotropa Calamagrostis Hutchinsia Arbutus Cinna Lepidium Arctostaphylos Cynosurus Lunaria Cassione Dactylis Raphanus Chimaphila Danthonia Rorippa Cladothamnus Deschampsia Sisymbrium Gaultheria Distichlis Smelowskia Hemi tomes Echinochloa Subularia Hypopitys Elymus Teesdalia Kalmia Festuca Thlaspi Ledum Glyceria Thysanocarpus Menziesia Hierochloe

Isoetes

Gramineae Juncaceae Liliaceae Holcus. Juncus Clintonia Hordeum Luzula Disporum Koeleria Erythronium Lolium Juncaginaceae Fritillaria Melica Trialochin Hemerocaulis Panicum. Lilium Phalaris Labiatae Llovdia Phleum Maianthemum Ajuga Phragmites Galeopsis Scilla Smilacina Pleuropogon Glecoma Lamium Stenanthium Poa Polypogon Lycopus Streptopus Puccinellia Marrubium Tofieldia Setaria (TBE) Mentha Trillium Sitanion Nepeta Veratrum Stipa Prunella Xerophyllum Trisetum Satureia Zigadenus Zizania Scutellaria (TBE) Loranthaceae Stachys Grossulariaceae Arceuthobium Ribes Leguminosae Astragalus Lycopodiaceae Haloragaceae Cytisus Lycopodium Myriophyllum Hedvsarum Lathyrus Lythraceae Hippuridaceae Lotus Lvthrum Hippuris Lupinus Medicago Malvaceae Melilotus Malva Hydrangeaceae Philadelphus Sidalcea 0xvtropis Psoralea Whipplea Menvanthaceae Thermopsis Hydrocharitaceae Trifolium Menyanthes Elodea Ulex Nephrophyllidium Vicia Hydrophyllaceae Myricaceae Myrica Hydrophyllum Lemnaceae Nemophila Lemna Phacelia Spirodela Naiadaceae Romanzoffia Wolffia (TBE) Najas Hypericaceae Lentibulariaceae Nyctaginaceae Abronia Hypericum Pinquicula Utricularia Nymphaeaceae Iridaceae Iris Liliaceae Brasenia Nuphar Sisyrinchium Allium. Nymphaea Asparagus Brodiaea Isoetaceae Oleaceae

Camassia

Fraxinus

Onagraceae Boisduvalia (TBE) Circaea Clarkia Epilobium Oenothera

Ophioglossaceae Botrychium Ophioglossum

Orchidaceae
Calypso
Corallorhiza
Eburophyton
Epipactus
Goodyera
Habenaria
Listera
Spiranthes

Orobanchaceae Boschniakia Orobanche

Oxalidaceae Oxalis

Papaveraceae Eschscholzia Meconella (TBE) Papaver

Pinaceae Abies Picea Pinus Pseudotsuga Tsuga

Plantaginaceae Plantago

Plumbaginaceae Armeria

Polemoniaceae Collomia Gilia Linanthus Microsteris Polemoniaceae Navarretia Phlox Polemonium

Polygonaceae Eriogonum Oxyria Polygonum Rumex

Polypodiaceae

Adiantum
Aspidotis
Asplenium
Athyrium
Blechnum
Cheilanthes
Cryptogramma
Cystopteris
Dryopteris
Gymnocarpium
Pityrogramma
Polypodium
Polystichum
Pteridium
Woodsia

Portulacaceae Calandrinia (TBE) Claytonia Lewisia Montia Portulaca (TBE)

Woodwardia

Potamogetonaceae Potamogeton

Primulaceae
Anagallis
Dodecatheon
Douglasia
Glaux
Lysimachia (TBE)
Trientalis

Ranunculaceae Actaea Anemone Aquilegia Ranunculaceae
Caltha
Cimicifuga
Clematis
Coptis
Delphinium
Myosurus
Ranunculus
Thalictrum
Trautvetteria
Trollius

Resedaceae Reseda

Rhamnaceae Ceanothus Rhamnus

Rosaceae Alchemilla Amelanchier Aruncus Crataequs Fragaria Geum Holodiscus Luetkea Oemeleria Petrophytum Physocarpus Potentilla Prunus Pyrus Rosa Rubus Sanguisorba Sibbaldia Sorbus Spiraea

Rubiaceae Asperula Galium Kelloggia Sherardia

Ruppiaceae Ruppia Salicaceae Typhaceae Populus Typha Salix Umbelliferae Salviniaceae Angelica Azolla Anthriscus Carum Saxifragaceae Caucalis Bovkinia Cicuta Chrysosplenium Conioselinum Elmera Conium Heuchera Daucus Foeniculum Leptarrhena Lithophragma Glehnia Mitella Heracleum Parnassia Hydrocotyle (TBE) Saxifraga Ligusticum Tellima Lilaeopsis Tiarella Lomatium Tolmiea 0enanthe Osmorhiza Pastinaca Scrophulariaceae Antirrhinum Perideridia Castilleia Sanicula Collinsia Sium Digitalis Linaria Urticaceae Mimulus Urtica Nothochelone Orthocarpus Valerianaceae Plectritis Parentucellia Pedicularis Valeriana Valerianella Penstemon Rhinanthus (TBE) Scrophularia Violaceae Synthyris Viola Verbascum Veronica Zosteraceae Phyllospadix Selaginellaceae Zostera Selaginella Solanaceae Solanum Sparganiaceae

Sparganium

Taxaceae Taxus





Clemson University 3 1604 004 717 973

DATE DUE			
Demco, Inc. 38-293			

